




VOYAGE CLASS	HOME TRADE III
SHIP CLASS	CLASS III
OFFICIAL NUMBER	331571
GROSS TONNAGE	10050.71 TONS
MAX. COMPLEMENT	650 PASSENGERS
	28 CREW
	678 TOTAL



F12 =  + 

FIRE PARTIES ARE TO CONSIST OF:

- ONE OFFICER IN CHARGE
- ONE 3-PERSON FIRE FIGHTING TEAM
- ONE 3-PERSON SUPPORT TEAM
(VENTILATION, BOUNDARY COOLING, ETC.)


SEVEN PERSONS TOTAL

SYM	ITEM
	FIRE CONTROL PLAN
	PUSH BUTTON/ SWITCH FOR FIRE ALARM
	GENERAL ALARM
	GENERAL ALARM HORN
	LOUD HALALER HORN
	BELL FIRE ALARM
	MANUAL OPERATING POS. FIRE ALARM
	FIRE ALARM PANEL
	CO2 BATTERY
	SPRAY PROTECTED BY CO2
	CO2 HORN
	CO2 RELEASE STATION
	FOAM INSTALLATION
	FOAM NOZZLE
	FOAM RELEASE STATION
	LOCKER WITH FIREMAN'S OUTFIT
	FIRE HYDRANT
	HOSE BOX WITH SPRAY/SET FIRE
	INTERNATIONAL FIRE CONNECTION
	FIRE PUMP
	EMERGENCY FIRE PUMP
	REMOTE CONTROL FIRE PUMPS OR EMERGENCY SWITCHES
	BLUE PUMP
	PORTABLE 5 kg DRY POWDER FIRE EXT.
	PORTABLE 3 kg DRY POWDER FIRE EXT.
	PORTABLE 3 kg DRY POWDER FIRE EXT.
	PORTABLE 3KG CO2 FIRE EXT.
	PORTABLE 6.8KG CO2 FIRE EXT.
	SECTION VALVES HYDRANT SYSTEM
	ESCAPE HATCH
	DRENCHING INSTALLATION
	AREA PROTECTED BY DRENCHING SYSTEM
	SECTION VALVES DRENCHING SYSTEM
	LOCKER WITH BREATHING APP.
	FIRE SUIT
	PRIMARY MEANS OF ESCAPE
	SECONDARY MEANS OF ESCAPE
	'K' CLASS DIVISION
	'B' CLASS DIVISION
	FIRE DAMPER IN VENT DUCT
	REMOTE CONTROL FUEL/LUB. OIL VALVE
	CONTROL STATION
	PORTABLE FOAM APPLICATOR
	'K' CLASS FIRE DOOR
	'K' CLASS FIRE DOOR
	'K' CLASS FIRE DOOR SELF-CLOSING
	'K' CLASS FIRE DOOR SELF-CLOSING
	CLOSING APPLIANCE FOR EXTERNAL VENT
	REMOTE VENTILATION SHUT-OFF
	MVZ
	SMOKE DETECTOR
	HEAT DETECTOR
	EMERGENCY TELEPHONE STATION
	FIRE AXE
	SAND BOX
	FIRE STATION COMPRISING OF FIRE MAN FIRE HOSE AND SPRAY / JET NOZZLE



1

LIFESAVING APPLIANCES PLAN




PRINCIPAL PARTICULARS


LENGTH O.A.	146.367 m (480'-1")
LENGTH B.P.	134.137 m (440'-1")
BREADTH	19.812 m (65'-0")
DEPTH	12.200 m (40'-0")
DRAFT	4.648 m (15'-3")
VOYAGE CLASS	HOME TRADE III
SHIP CLASS	CLASS III
OFFICIAL NUMBER	331571
GROSS TONNAGE	10050.71 TONS
MAX. COMPLEMENT	650 PASSENGERS 28 CREW 678 TOTAL

LEGEND


SYM	ITEM
	LIFEBOAT
	RESCUE BOAT
	EMBARKATION LADDER
	LIFEBUOY
	LIFEBUOY + LINE
	LIFEBUOY + SMOKE
	LIFEBUOY + LIGHT + SMOKE
	LIFEJACKET
	CHILD'S LIFEJACKET
	SURVIVAL CRAFT PORTABLE RADIO
	CLASS I EPIRB
	CLASS II EPIRB
	SURVIVAL CRAFT DISTRESS SIGNALS
	ROCKET PARACHUTE FLARE
	LINE THROWING APPLIANCE
	MUSTER STATION
	EMBARKATION STATION
	LIFE-SAVING APPLIANCES PLAN
	TO MUSTER STATION
	EMERGENCY ESCAPE
	LOUD HAILER HORN



11/03/2000 SAFETY PLANS, CHANGE LIFE RINGS	
10/06/2000 CREW COMPLIMENT WAS 51, SAFETY PLAN SYMBOLS ADDED (VARIOUS LOCATIONS)	
Rev.	Date
Lengkeek Vessel Engineering	
CLIENT: BAY FERRIES LTD.	
TITLE: M.V. "PRINCESS of ACADIA" LIFE-SAVING APPLIANCES PLAN	
Drawn: M. Lengeek	Scale: 1:200
Checked: M. Lengeek	DWG. NO: 9771-02
29 SEPT 1997	Rev. 2
USA	Sheet 1 of 1




—BOATDECK—





—UPPERDECK—

Princess of Acadia



— UPPERDECK —



DEADWEIGHT SCALE

DRAFT IN FEET	SALT WATER 35 cu ft/ton			FRESH WATER 36 cu ft/ton			DRAFT IN FEET
	DISPL. IN TONS	D.W.T. IN TONS	T.P.I.	M.C.T.1.	T.P.I.	D.W.T. IN TONS	
17			52	1300			17
16	7000	3000	50	1200	50	3000	16
15			48	1100	48		15
14	6000	2000	46	1000	46	2000	14
13			44	900	44		13
12	5000	1000	42	800	42	1000	12
11			40	700	40		11
10	4000	0	38	600	38	0	10
9			36	500	36		9
8	3000		34	400	34		8
7			32	300	32		7
6	2000		30	200	30		6

OIL TANKS	FRS.	TOTAL CAPACITY CU. FT.	TONS AT 92% FULL	TONS AT 95% FULL	TONS AT 98% FULL	TONS AT 100% FULL
OIL FUEL TANK	107-118	14201.89	69610	25569	1208	55526
DIESEL OIL SERVICE TANK R	51-55	1455-91	18810	3263	1042	63044
DIESEL OIL SERVICE TANK S	51-55	1085-61	88850	3647	1265	67584
TOTAL		14312-6	86383-9	320-95		

SLUDGE TANK S (D.B.)	87-90	888-3	1760-2	6-47	1765	07584
OVERFLOW TANK R (D.B.)	57-59	223-46	1262-2	5-01	1736	07584

LUB. OIL TANKS	FRS.	TOTAL CAPACITY CU. FT.	TONS AT 92% FULL	TONS AT 95% FULL	TONS AT 98% FULL	TONS AT 100% FULL
L.O. STORAGE TANK	81-91	846-0	1501-9	5-52	16-43	5100 F.
L.O. RENOVATING TANK	91-95	846-0	1501-9	5-52	16-43	5100 F.
D.O. DRAIN TANK (D.B.)	87-90	46-86	395-9	1-45	1-77	07584
PROPPELLER OIL TANK R (D.B.)	35-37	37-78	230-7	0-84	1-776	1820 F.
PROPPELLER OIL TANK S (D.B.)	35-37	37-78	230-7	0-84	1-776	1820 F.
TOTAL		632-46	3861-1	14-17		

FRESH WATER TANKS	FRS.	TOTAL CAPACITY CU. FT.	TONS AT 92% FULL	TONS AT 95% FULL	TONS AT 98% FULL	TONS AT 100% FULL
NO. 1 D.B. TANK	121-133	6071-33	158-66	12-49	76-81	26861 F.
NO. 2 D.B. TANK	51-58	5683-24	157-87	12-30	87014	
TOTAL		11754-57	316-53			

- CARGO DECK LOADING**
- CARGO STORAGE, CAPACITY ON MAIN DECK AND PLATFORM = 159 CARS TOTAL.
 - TRAILER STORAGE, CAPACITY (PLATFORM STOWED) = 40 TRAILERS AND 7 TRACTORS WHEN LOADED BY SHIP.
 - CLEAR HEADROOM IN VEHICLE SPACE = 15'-5"

WATER BALLAST TANKS	FRS.	TOTAL CAPACITY CU. FT.	TONS AT 92% FULL	TONS AT 95% FULL	TONS AT 98% FULL	TONS AT 100% FULL
FORE PEAK TANK	178-182	1871-28	53-48	18-45	263-38 F.	
NO. 1 D.B. TANK	133-138	3041-48	57-71	19-7	130-66 F.	
NO. 2 D.B. TANK	115-123	3051-89	45-50	16-8	85-12 F.	
NO. 3 D.B. TANK	95-105	3060-90	45-50	16-8	85-12 F.	
STABILIZER TANK	94-104	1192-65	119-23	12-09	25-40 F.	
NO. 4 D.B. (HEELING) TANK R	61-94	2648-66	74-16	1-93	32-57 F.	
NO. 4 D.B. TANK CENTRE	74-94	2114-17	60-40	1-77	18-85 F.	
NO. 4 D.B. (HEELING) TANK S	61-94	2648-66	74-16	1-93	32-57 F.	
NO. 5 D.B. TANK R	37-61	2053-10	58-66	1-88	22-69 F.	
NO. 5 D.B. TANK S	37-61	2053-10	58-66	1-88	22-69 F.	
AT TRIMMING TANK	15-25	1464-97	418-43	15-41	163-70 F.	
TOTAL		61312-23	1750-74			

ASSUMED DIMENSIONS OF TRAILER AND TRACTOR:
 LENGTH = 58'-0", WIDTH = 8'-0", HEIGHT ABOVE DECK = 14'-0"
ASSUMED DIMENSIONS OF TRAILER:
 LENGTH = 45'-0", WIDTH = 8'-0", HEIGHT ABOVE DECK = 14'-0"
 THE MAIN DECK SCANTLING HAS BEEN DETERMINED CONSIDERING A HEIGHT OF 32000 LBS ON THE TRAILER MAIN AXLES IN ACCORDANCE WITH CSA STANDARD S6-116 "DESIGN OF HIGHWAY BRIDGES".
 WEIGHT OF TRAILER 64000 LBS (28-57 TONS)
 WEIGHT OF TRAILER AND TRACTOR 70000 LBS (31-14 TONS)

PRINCIPAL DIMENSIONS

LENGTH O.A. 486'-0"
 LENGTH B.P. 440'-1"
 BREADTH (MID) 46'-0"
 BREADTH, EXTREME (OVER FENDER) 66'-3 1/2"
 DEPTH (MID) TO VEHICLE DECK 21'-0"
 DEPTH (MID) TO UPPER DECK 40'-0"
 DRAFT ALL SEASONS (FULL) 15'-3"
 DEADWEIGHT AT THIS DRAFT IN S.W. 2408 TONS

MACHINERY

4 (FOUR) GM. MODEL 16-645 E-5 MARINE PROPULSION ENGINES, EACH RATED AT 2275 BHP AT 900 R.P.M. TOTAL 11500 BHP
 3 (THREE) GM. DIESEL DRIVEN GENERATOR SETS EACH RATED 650 K.W. WITH 920 VOLTS 3 PHASE - 60 CYCLES, 900 R.P.M.
 2 (TWO) HAMMERTON - AIR COMPRESSOR, CAPACITY 145 CU. FT. / MIN. AT 200 P.S.I.G.
 2 (TWO) TRUMP GENERATOR BOILER, MODEL 6748, TOTAL OUTPUT CAPACITY 13800 LB / HOUR AT 40 P.S.I.G.
 2 (TWO) K&M Co., C.P. 4 BLADED PROPELLERS 122 INCHES DIA., 250 R.P.M., HEIGHT 10274 LBS.

OFFICIAL NUMBER

331 571
 UNDER DECK TONNAGE 8473-92
 GROSS TONNAGE 10,108-58
 REGISTERED TONNAGE 7,012-51
 CLASS: LLOYD'S REGISTER OF SHIPPING
 "A" CLASS, + LMC, "FOR BAY OF FUNDY SERVICES"
 AND: CANADIAN BOARD OF STEAMSHIP INSPECTION "HARBOUR TRADE CLASS III" FOR 650 PASSENGERS
 45 CREW, FOR SERVICE NOT EXCEEDING 10 HOURS.

COMPLEMENT

CAPTAIN
 CHIEF OFFICER
 DEPUTY
 PURSER
 CHIEF ENGINEER
 DEPUTY OFFICERS
 STEWARD
 RATING
 TOTAL 42

PRINCESS OF ACADIA


YARD NO. 1098

BUILT BY

SAINT JOHN SHIPBUILDING & DRY DOCK CO. LTD.




CAPACITY PLAN

PARTICULARS ARE GIVEN IN GOOD FAITH BUT ARE NOT GUARANTEED




The floor plan shows the layout of the 1st deck. At the bow and stern are two 28'0" motor lifeboats, each with a capacity of 76 persons. The central area contains a nursery mothers room with two playpens, a toilet, and a settee. Adjacent to this is the engine casing. To the left are two day cabins, each with a settee, C/T, AC, and WR & LL. A linen locker and shower are also located here. The right side features a bar area with a bar, ice cubes, and a refrigerator. A large dining area with numerous tables and chairs is situated at the stern. A red line with numbers 80, 90, and 100 is drawn across the middle of the plan.


ENBARCATION DOORS




NO	BY	REVISIONS	DATE	NO	BY	REVISIONS	DATE	NO	BY	REVISIONS	DATE	X Y Z X- ARCH., STRUC., MECH., ECT... Y- DETAIL NO. Z- SHEET NO.			LOCATION	DRAWING TITLE	DESIGNED BY	APPR. BY		
																		M.V. "PRINCESS OF ACADIA" <td></td> <td></td>		
																		HULL # 1080 BUILT BY SAINT JOHN SHIPBUILDING & DRYDOCK CO. LTD. SAINT JOHN N.S. CANADA	DRAWN BY	PROJECT NO.
																		SCALE 1 = 200 MM	DRAWING NO.	
																GENERAL ARRANGEMENT	DATE	SHEET NO. 2 OF 3		




— NAVIGATING BRIDGE DECK. —





REV.	DATE	BY:	CHK:	DESCRIPTION
A	19/12/08	GW	-	CLIENT REVIEW



PLAN 1-4D
CAR DECK DECK FITTING PLAN
SCALE 1:200


GENERAL NOTES:

1. TRANSVERSE LANE SPACING REDUCED FROM 3.125M TO 3.0 M TO BE IN LINE WITH IMO RESOLUTION A.581(14).
2. TYPICAL DECK FITTING WILL BE RAISED CLOVER LEAF TYPE.
3. RAISED CLOVER LEAF DECK FITTINGS LONGITUDINALLY SPACED EVERY 3 FRAMES (2.286M).
4. RAISED ISO DECK SOCKETS FITTED FOR SECURING TRUCK HORSES.
5. ALL DIMENSIONS ARE GIVEN IN MILLIMETERS UNLESS NOTED OTHERWISE.


PRELIMINARY

 Allswater NAVAL ARCHITECTS & ENGINEERS	TITLE: "PRINCESS OF ACADIA" LASHING PLAN
This Document is the property of ALLSWATER MARINE CONSULTANTS LTD. This document or part thereof shall not be duplicated, copied or manner, used for manufacture, sold or transferred without written permission from Allswater Marine Consultants Ltd. Receipt of this document or computer file implies acceptance of these conditions.	
CLIENT: NFL	DATE: 19/12/08
APPROVALS:	SHEET: 1 OF 3
DWG: GW	SCALE: X:XX U.N.O.
CLIENT:	DWG NO:
CLASS:	
CHK: -	REV: A
FLAG:	08079 -100-A-001

REV.	DATE	BY:	CHK:	DESCRIPTION
A	19/12/08	GW	-	CLIENT REVIEW



PLAN 1-4D
CAR DECK LOADED WITH 53' TRAILERS
LOADED BY STERN DOOR
SCALE 1:200



PLAN 1-2D
CAR DECK LOADED WITH 45' TRAILERS
LOADED BY STERN DOOR
SCALE 1:200


PRELIMINARY




TITLE: "PRINCESS OF ACADIA"
LASHING PLAN

CLIENT: NFL			DATE: 19/12/08	SHEET: 2 OF 3
APPROVALS	DWG: GW	SIZE: AI	SCALE: X:XX U.N.O.	DWG NO:
CLIENT:	CHK: -	STATUS: DRAFT	REV: A	08079 -100-A-001
CLASS:				
FLAG:				

REV.	DATE	BY:	CHK:	DESCRIPTION
A	19/12/08	GW	-	CLIENT REVIEW



PLAN 1-4D
CAR DECK LOADED WITH 53' TRAILERS
LOADED BY BOW DOOR
SCALE 1:200




PLAN 1-2D
CAR DECK LOADED WITH 45' TRAILERS
LOADED BY BOW DOOR
SCALE 1:200

PRELIMINARY




TITLE: "PRINCESS OF ACADIA"
LASHING PLAN

CLIENT: NFL		DATE: 19/12/08	SHEET: 3 OF 3
APPROVALS	DWG: GW	SIZE: A1	SCALE: X:XX U.N.O.
CLIENT:	CHK: -	STATUS: DRAFT	REV: A
CLASS:	FLAG:		DWG NO: 08079 -100-A-001




PLAN 1-4D
CAR DECK LASHING POINTS ARRANGEMENT
SCALE 1:200

- GENERAL NOTES:**
- 1. LANE WIDTHS AND LASHING POINT SPACING IN ACCORDANCE WITH IMO RESOLUTION A.581(14).
 - 2. TRANSVERSE LANE SPACING REDUCED FROM 3.125M TO 3.0 M TO BE IN LINE WITH IMO RESOLUTION A.581(14).
 - 3. TYPICAL DECK FITTING WILL BE RAISED CLOVER LEAF TYPE.
 - 4. RAISED CLOVER LEAF DECK FITTINGS LONGITUDINALLY SPACED EVERY 3 FRAMES (MAX. 2.286M) AND CENTERED ON TRANSVERSE DECK STIFFENERS.
 - 5. RAISED ISO DECK SOCKETS FITTED FOR SECURING TRUCK HORSES TO BE CENTERED ON TRANSVERSE DECK STIFFENERS AT FRAMES INDICATED IN CENTRE OF LANE.
 - 6. ALL DIMENSIONS ARE GIVEN IN MILLIMETERS UNLESS NOTED OTHERWISE.
 - 7. REFERENCE INTELLIGENT ENGINEERING DRAWING POD08755-001-01 FOR MATERIALS AND ADDITIONAL INSTALLATION DETAILS.
 - 8. NDT & LOAD TESTING PER DIRECTION OF ATTENDING LLOYDS SURVEYOR.




PLAN VIEW




SECTION A-A

DETAIL 1-1B
TYPICAL RAISED CLOVERLEAF LASHING POINT
358 OFF
SCALE 1:10



PLAN VIEW



SECTION B-B

DETAIL 1-1D
TYPICAL RAISED ISO DECK SOCKET LASHING POINT
20 OFF
SCALE 1:10

CLASSIFICATION APPROVAL
08079-100-A-001 REV. 2 WAS APPROVED BY LR. REFERENCE MARINE DESIGN APPRAISAL DOCUMENT SST 144180



NAVAL ARCHITECTS & ENGINEERS


TITLE: "PRINCESS OF ACADIA"

LASHING PLAN

This Document is the property of ALLSWATER MARINE CONSULTANTS LTD. This document or part thereof shall not be duplicated, copied in any manner, used for manufacture, sold or transferred without written permission from Allswater Marine Consultants Ltd. Receipt of this document or computer file implies acceptance of these conditions.


CLIENT:	NFL	DATE:	12/01/09	SHEET:	1 OF 1
APPROVALS:	DWG: GW	SIZE:	A1	SCALE:	1:200
CLIENT:	CHK: EW	STATUS:	ISSUED	REV:	4
CLASS:					
FLAG:					

08079 -100-A-001



SECTION 'C-C'

1/2 FULL SIZE



SECTION 'D-D'

1/2 FULL SIZE

NOTES :-

SCANTLINGS WORKED IN ASSOCIATION WITH A STRESS OF
6.1 TONS/SQ. INS. TO SUIT A WATER PRESSURE HEAD OF
A DECK LOADING OF TWO 30 TON CONTAINERS WITH
LOAD DISTRIBUTED AS SHOWN




1/2 FULL SIZE

NOTE: DIMENSIONS MARKED THUS * ARE
MEASURED ALONG THE SLOPING
RAMP TOP PLATE.

PLAN VIEW

£ OF PAD FOR HYDRAULIC
SAFETY HOOK (PSS)

TOTAL WT. 8.75 TONS



QUALITY OF WELDING TO LLOYDS REQUIREMENTS

SUBMITTED FOR APPROVAL OF SCANTUNGS ONLY

MACGREGOR & CO.
MARINE ARCHITECTS LTD.
4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 200, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298, 300, 302, 304, 306, 308, 310, 312, 314, 316, 318, 320, 322, 324, 326, 328, 330, 332, 334, 336, 338, 340, 342, 344, 346, 348, 350, 352, 354, 356, 358, 360, 362, 364, 366, 368, 370, 372, 374, 376, 378, 380, 382, 384, 386, 388, 390, 392, 394, 396, 398, 400, 402, 404, 406, 408, 410, 412, 414, 416, 418, 420, 422, 424, 426, 428, 430, 432, 434, 436, 438, 440, 442, 444, 446, 448, 450, 452, 454, 456, 458, 460, 462, 464, 466, 468, 470, 472, 474, 476, 478, 480, 482, 484, 486, 488, 490, 492, 494, 496, 498, 500, 502, 504, 506, 508, 510, 512, 514, 516, 518, 520, 522, 524, 526, 528, 530, 532, 534, 536, 538, 540, 542, 544, 546, 548, 550, 552, 554, 556, 558, 560, 562, 564, 566, 568, 570, 572, 574, 576, 578, 580, 582, 584, 586, 588, 590, 592, 594, 596, 598, 600, 602, 604, 606, 608, 610, 612, 614, 616, 618, 620, 622, 624, 626, 628, 630, 632, 634, 636, 638, 640, 642, 644, 646, 648, 650, 652, 654, 656, 658, 660, 662, 664, 666, 668, 670, 672, 674, 676, 678, 680, 682, 684, 686, 688, 690, 692, 694, 696, 698, 700, 702, 704, 706, 708, 710, 712, 714, 716, 718, 720, 722, 724, 726, 728, 730, 732, 734, 736, 738, 740, 742, 744, 746, 748, 750, 752, 754, 756, 758, 760, 762, 764, 766, 768, 770, 772, 774, 776, 778, 780, 782, 784, 786, 788, 790, 792, 794, 796, 798, 800, 802, 804, 806, 808, 810, 812, 814, 816, 818, 820, 822, 824, 826, 828, 830, 832, 834, 836, 838, 840, 842, 844, 846, 848, 850, 852, 854, 856, 858, 860, 862, 864, 866, 868, 870, 872, 874, 876, 878, 880, 882, 884, 886, 888, 890, 892, 894, 896, 898, 900, 902, 904, 906, 908, 910, 912, 914, 916, 918, 920, 922, 924, 926, 928, 930, 932, 934, 936, 938, 940, 942, 944, 946, 948, 950, 952, 954, 956, 958, 960, 962, 964, 966, 968, 970, 972, 974, 976, 978, 980, 982, 984, 986, 988, 990, 992, 994, 996, 998, 1000, 1002, 1004, 1006, 1008, 1010, 1012, 1014, 1016, 1018, 1020, 1022, 1024, 1026, 1028, 1030, 1032, 1034, 1036, 1038, 1040, 1042, 1044, 1046, 1048, 1050, 1052, 1054, 1056, 1058, 1060, 1062, 1064, 1066, 1068, 1070, 1072, 1074, 1076, 1078, 1080, 1082, 1084, 1086, 1088, 1090, 1092, 1094, 1096, 1098, 1100, 1102, 1104, 1106, 1108, 1110, 1112, 1114, 1116, 1118, 1120, 1122, 1124, 1126, 1128, 1130, 1132, 1134, 1136, 1138, 1140, 1142, 1144, 1146, 1148, 1150, 1152, 1154, 1156, 1158, 1160, 1162, 1164, 1166, 1168, 1170, 1172, 1174, 1176, 1178, 1180, 1182, 1184, 1186, 1188, 1190, 1192, 1194, 1196, 1198, 1200, 1202, 1204, 1206, 1208, 1210, 1212, 1214, 1216, 1218, 1220, 1222, 1224, 1226, 1228, 1230, 1232, 1234, 1236, 1238, 1240, 1242, 1244, 1246, 1248, 1250, 1252, 1254, 1256, 1258, 1260, 1262, 1264, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280, 1282, 1284, 1286, 1288, 1290, 1292, 1294, 1296, 1298, 1300, 1302, 1304, 1306, 1308, 1310, 1312, 1314, 1316, 1318, 1320, 1322, 1324, 1326, 1328, 1330, 1332, 1334, 1336, 1338, 1340, 1342, 1344, 1346, 1348, 1350, 1352, 1354, 1356, 1358, 1360, 1362, 1364, 1366, 1368, 1370, 1372, 1374, 1376, 1378, 1380, 1382, 1384, 1386, 1388, 1390, 1392, 1394, 1396, 1398, 1400, 1402, 1404, 1406, 1408, 1410, 1412, 1414, 1416, 1418, 1420, 1422, 1424, 1426, 1428, 1430, 1432, 1434, 1436, 1438, 1440, 1442, 1444, 1446, 1448, 1450, 1452, 1454, 1456, 1458, 1460, 1462, 1464, 1466, 1468, 1470, 1472, 1474, 1476, 1478, 1480, 1482, 1484, 1486, 1488, 1490, 1492, 1494, 1496, 1498, 1500, 1502, 1504, 1506, 1508, 1510, 1512, 1514, 1516, 1518, 1520, 1522, 1524, 1526, 1528, 1530, 1532, 1534, 1536, 1538, 1540, 1542, 15

 MacGREGOR & CO. (NAVAL ARCHITECTS) LTD.


SHIPBUILDER	SHIP	SYSTEM	W.T.	ITEM
-------------	------	--------	------	------


DRAWN BY	CHECKED	APPROVED	ISSUE	1	2
J. H.	B. J.	LLOYDS	DATE	11/7/69	11/7/69

TITLE	DRG No
APPST & SCANTLINGS OF BOW RAMP	15003 (2 SHTS.)

SUBJECT TO THE
COMPLETED
INSTALLATION
BEING TO THE
SATISFACTION OF
THE STEAMSHIP INSPECTOR

TITLE	DRG No
APPST & SCANTLINGS OF BOW RAMP	15003 (2 SHTS.)





— BOATDECK —



SUBJECT TO THE
COMPLETED
INSTALLATION
BEING TO THE
SATISFACTION OF
THE STEAMSHIP INTER-

48


	MacGREGOR & CO. (NAVAL ARCHITECTS) LTD.			
	MacGREGOR HOUSE	WHITLEY BAY	ENGLAND	

SHIPBUILDERS	SHIP	SYSTEM	ITEM
ST. JOHN SHIPBUILDERS	1098	440 JMS	N 2


DRAWN BY	CHECKED	APPROVED	ISSUE	SCALE
R.H.	26	WYMS	1 2	1" = 1' 0"
	13 & 69		DATE 11/2/57	
TITLE		CN		

DRG No	W.C.M.T.
--------	----------

This detailed plan view of the deck of the USS Arizona (BB-39) shows the layout of the main battery guns and other deck features. The ship's hull number, 39, is visible at the bow. The main battery consists of 16 16-inch guns, arranged in eight twin-gun turrets. The turrets are labeled as follows: Turret I (forward), Turret II (forward), Turret III (forward), Turret IV (forward), Turret V (aft), Turret VI (aft), Turret VII (aft), and Turret VIII (aft). The guns are numbered 1 through 16. The deck also features various other structures, including the mainmast, funnels, and various support equipment. The plan view shows the ship's profile and the relative positions of these various components.



— NAVIGATING BRIDGE DECK. —



PRINCESS OF ACADIA – MAIN DECK

M.V. 'PRINCESS OF ACADIA'.

HULL N° 1098.

BUILT BY

SAINT JOHN SHIPBUILDING & DRYDOCK CO. LTD.




SAINT JOHN, N.B. CANADA.

DOCKING PLAN.

PLAN N° 904/14

PRINCIPAL PARTICULARS :-

LENGTH BETWEEN PERPENDICULARS	44'-0"
LENGTH OVERALL (INCLUDING FENDERS)	48'-2 1/2"
BREADTH MOULDED	6'-0"
BREADTH EXTREME (OVER FENDERS)	6'-3 3/4"
DEPTH MOULDED TO MAIN DECK	2'-0"
DEPTH MOULDED TO UPPER DECK	4'-0"
DEAPT MOULDED (L.W.L.)	15'-0"
DEAPT EXTREME	15'-0 3/4"
CAMBER - MAIN DECK	No CAMBER
CAMBER - UPPER DECK & ABOVE	C" in 55'-0"



Body PLAN

