
TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Introduction
2. Summary
3. Debriefings
4. Estimated Annual Testing Quantities

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions:
 - Section I : Technical Bid
 - Section II : Financial Bid
 - Section III : Certifications

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection

PART 5 - CERTIFICATIONS

1. Mandatory Certifications Required Precedent to Contract Award
2. Additional Certifications Precedent to Contract Award

PART 6 - RESULTING CONTRACT CLAUSES

1. Requirement
2. Standard Clauses and Conditions
3. Term of Contract
4. Authorities
5. Payment
6. Invoicing Instructions
7. Certifications
8. Applicable Laws
9. Priority of Documents
10. Foreign Nationals (Canadian Contractor)
11. Insurance
12. Periodic Usage Reports - Contracts with Task Authorizations

List of Annexes

Annex A Requirement

Appendix 1 to Annex A - Service Group 1 - Remanufactured Toner Cartridges

Appendix 1.1 to Annex A - Remanufactured Toner Cartridges - Performance Requirements

Appendix 1.2 to Annex A - Remanufactured Toner Cartridges - Estimated Annual Quantities

Appendix 1.3 to Annex A - Remanufactured Toner Cartridges - Test Requirements – HP CC364X

Appendix 1.4 to Annex A - Remanufactured Toner Cartridges - Test Requirements – Lexmark
T650H21A

Appendix 1.5 to Annex A - Remanufactured Toner Cartridges - Test Requirements – HP Q5945A

Appendix 1.6 to Annex A - Remanufactured Toner Cartridges - Test Requirements – Lexmark 64035HA

Appendix 1.7 to Annex A - Remanufactured Toner Cartridge Benchmark Testing – Performance
Requirements

Appendix 1.8 to Annex A - Remanufactured Toner Cartridge Benchmark Testing Standard - Estimated
Annual Quantities

Appendix 2 to Annex A - Service Group 2 - Protective Clothing

Appendix 2.1 to Annex A - Testing Instructions and Reporting Requirements

Appendix 2.2 to Annex A - Fireline Workwear for Wildland Firefighters - Estimated Annual
Quantities and Test Requirements

Appendix 2.3 to Annex A - Workwear for Protection against Hydrocarbon Flash fire and Optionally
Steam and Hot Fluids- Estimated Annual Quantities and Test
Requirements

Appendix 3 to Annex A - Service Group 3 - Construction Products: Polyethylene Vapour Barrier

Appendix 3.1 to Annex A - Construction Products: Polyethylene Vapour Barrier - Estimated
Annual Quantities and Test Requirements

Appendix 4 to Annex A - Service Group 4 – Medical Rubber Latex or Rubber Solution Gloves

Appendix 4.1 to Annex A - Single use Medical Examination Gloves - Estimated Annual Quantities,
Sampling Plans and Test Requirements

Appendix 4.2 to Annex A - Single use sterile Surgical Rubber Gloves - Estimated Annual Quantities,
Sampling Plans and Test Requirements

Appendix 4.3 to Annex A - Single use Medical Examination Poly Gloves (Vinyl Chloride) - Estimated
Annual Quantities, Sampling Plans and Test Requirements

Annex B Basis of Payment
Annex C Task Authorization Form

List of Attachments:

- Attachment 1:** Mandatory Certifications Precedent to Contract Award
- Attachment 2:** Financial Bid Presentation Sheet for Service Group 1 - for Remanufactured Toner Cartridges
- Attachment 3:** Financial Bid Presentation Sheet for Service Group 2 - Protective Clothing
- Attachment 4:** Financial Bid Presentation Sheet for Service Group 3 - Polyethylene Vapour Barrier
- Attachment 5:** Financial Bid Presentation Sheet for Service Group 4 - Medical Gloves

PART 1 - GENERAL INFORMATION

1. Introduction

The bid solicitation document is divided into six parts plus annexes and attachments as follows:

Part 1 General Information: provides a general description of the requirement;

Part 2 Bidder Instructions: provides the instructions, clauses and conditions applicable to the bid solicitation;

Part 3 Bid Preparation Instructions: provides bidders with instructions on how to prepare their bid;

Part 4 Evaluation Procedures and Basis of Selection: indicates how the evaluation will be conducted, the evaluation criteria that must be addressed in the bid, and the basis of selection;

Part 5 Certifications: includes the certifications to be provided;

Part 6 Resulting Contract Clauses: includes the clauses and conditions that will apply to any resulting contract.

The Annexes include the Requirement, Basis of Payment and Task Authorization Form. The Attachments include the Mandatory Certifications Precedent to Contract Award, Financial Bid Presentation Sheet for Service Group 1 - Remanufactured Toner Cartridges, Financial Bid Presentation Sheet for Service Group 2 - Protective Clothing, Financial Bid Presentation Sheet for Service Group 3 - Polyethylene Vapour Barrier and Financial Bid Presentation Sheet for Service Group 4 - Medical Gloves.

2. Summary

The CGSB, as an accredited certification body by the Standards Council of Canada (SCC), administers a variety of product specific certification and qualification programs. These programs are designed to provide lists identifying sources of supply of products that meet known standards of performance. The programs provide a convenient, cost-effective way for manufacturers to demonstrate to government and corporate buyers, wholesalers, retailers and consumers that their products meet standards and/or specifications recognized throughout the industry. To become certified or qualified applicants are required to submit documentation including product test reports, and quality manuals, to ensure they conform to the appropriate standards. The CGSB publishes program manuals, which outline all the requirements for qualification.

The product specific certification and qualification programs are as follows:

- Remanufactured Toner Cartridges
- Fireline Workwear for Wildland Firefighters
- Workwear for Protection against Hydrocarbon Flash Fire and Optionally Steam and Hot Fluids
- Polyethylene Vapour Barriers
- Medical Examination Gloves

Each program is based on a national or international standard, or group of standards.

The Canadian General Standards Board (CGSB) has a requirement for the supply of laboratory testing services for the qualification listing of remanufactured toner cartridges and for the certification listing of fireline workwear for wildland firefighters, workwear for protection against hydrocarbon flashfire and optionally steam and hot fluids, medical gloves and polyethylene vapour barriers. The laboratory testing services are required on an as and when requested basis.

It is Canada's intention to award two (2) "as and when requested" contracts for each of the following Service Groups:

Service Group 1: Remanufactured Toner Cartridges

- 1.1 Remanufactured Toner Cartridges
- 1.2 Remanufactured Toner Cartridges - Benchmark Testing

Service Group 2: Protective Clothing

- 2.1 Protective Clothing
- 2.2 Fireline Workwear for Wildland Firefighters
- 2.3 Protection Against Hydrocarbon Flash Fire and Optionally Steam and Hot Fluids,

Service Group 3: Construction Products: Polyethylene Vapour Barrier

- 3.1 Polyethylene Vapour Barrier

Service Group 4: Medical Gloves

- 4.1 Single Use Medical Examination Gloves
- 4.2 Single Use Sterile Rubber Surgical Gloves
- 4.3 Single use Medical Examination Gloves

The period of any resulting contract(s) will be for three (3) years from date of Contract with an irrevocable option on the part of Canada to extend the term of the contract by up to two (2) additional one (1) year periods.

Pursuant to section 01 of Standard Instructions 2003, Bidders must submit a complete list of names of all individuals who are currently directors of the Bidder. Furthermore, as determined by the Special Investigations Directorate, Departmental Oversight Branch, each individual named on the list may be required to complete a Consent to Criminal Record Verification form and related documentation.

The requirement is subject to provisions of the Agreement on Internal Trade (AIT). The requirement is limited to Canadian goods and/or services.

3. Debriefings

After Contract award, bidders may request a debriefing on the results of the bid solicitation process.

Bidders should make the request to the Contracting Authority within fifteen (15) working days of receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

4. Estimated Annual Testing Quantities

Service Group 1: Remanufactured Toner Cartridges

Refer to Appendices 1.2 and 1.8 to Annex A

Service Group 2: Protective Clothing

Refer to Appendices 2.1 to 2.3 to Annex A

Service Group 3: Construction Products - Polyethylene Vapour Barrier

Refer to Appendix 3.1 to Annex A

Service Group 4: Medical Gloves

Refer to Appendices 4.1, 4.2, and 4.3 to Annex A

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual issued by Public Services and Procurement Canada.

(<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>)

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting Contract.

The 2003 (2018-05-22) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of 2003, Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: sixty (60) days

Insert: one hundred and twenty (120) days

1.1 SACC Manual Clauses

A7017C (2008-05-12), Replacement of Specific Individuals;

A7035T (2007-05-25), List of Proposed Subcontractors;

A9068C (2010-01-11), Government Site Regulations.

2. Submission of Bids

- a. Bids must be submitted to Public Services and Procurement Canada Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation **and** submitted by electronic mail to eric.beaudry@tpsgc-pwpsc.gc.ca. The date and time stamp of the Bid Receiving Unit will prevail the electronic submission and will be used as the official date and time receipt for this RFP.
- b. Due to the nature of the bid solicitation, bids transmitted by facsimile to Public Services and Procurement Canada will not be accepted.

2.1 Former Public Servant

Contracts awarded to former public servants (FPS) in receipt of a pension or of a lump sum payment must bear the closest public scrutiny and reflect fairness in the spending of public funds. In order to comply with Treasury Board policies and directives on contracts awarded to FPS, bidders must provide in writing before contract award for each question below, the answer and, as applicable, the information required.

If the Contracting Authority has not received the answer to the question and, as applicable, the information required by the time the evaluation of bids is completed, Canada will inform the Bidder of a time frame within which to provide the answer and, as applicable, the information required. Failure to comply with Canada's request and meet the requirement within the prescribed time frame will render the bid non-responsive.

Definitions

For the purposes of this clause,

"former public servant" is any former member of a department as defined in the [Financial Administration Act](#), R.S., 1985, c. F-11, a former member of the Canadian Armed Forces or a former member of the

Royal Canadian Mounted Police. A former public servant may be:

- (a) an individual;
- (b) an individual who has incorporated;
- (c) a partnership made of former public servants; or
- (d) a sole proprietorship or entity where the affected individual has a controlling or major interest in the entity.

"lump sum payment period" means the period measured in weeks of salary, for which payment has been made to facilitate the transition to retirement or to other employment as a result of the implementation of various programs to reduce the size of the Public Service. The lump sum payment period does not include the period of severance pay, which is measured in a like manner.

"pension" means a pension or annual allowance paid under the [Public Service Superannuation Act \(PSSA\)](#), R.S., 1985, c. P-36, and any increases paid pursuant to the [Supplementary Retirement Benefits Act](#), R.S., 1985, c. S-24 as it affects the PSSA. It does not include pensions payable pursuant to the [Canadian Forces Superannuation Act](#), R.S., 1985, c. C-17, the [Defence Services Pension Continuation Act](#), 1970, c. D-3, the [Royal Canadian Mounted Police Pension Continuation Act](#), 1970, c. R-10, and the [Royal Canadian Mounted Police Superannuation Act](#), R.S., 1985, c. R-11, [the Members of Parliament Retiring Allowances Act](#), R.S., 1985, c. M-5, and that portion of pension payable to the [Canada Pension Plan Act](#), R.S., 1985, c. C-8.

Former Public Servant in Receipt of a Pension

As per the above definitions, is the Bidder a FPS in receipt of a pension?

Yes () No ()

If so, the Bidder must provide the following information for all FPS in receipt of a pension, as applicable:

- (a) name of former public servant; and
- (b) date of termination of employment or retirement from the Public Service.

By providing this information, bidders agree that the successful Bidder's status, with respect to being a former public servant in receipt of a pension, will be reported on departmental websites as part of the published proactive disclosure reports in accordance with [Contracting Policy Notice: 2012-2](#) and the [Guidelines on the Proactive Disclosure of Contracts](#).

Work Force Adjustment Directive

Is the Bidder a FPS who received a lump sum payment pursuant to the terms of the Work Force Adjustment Directive?

Yes () No ()

If so, the Bidder must provide the following information:

- a) name of former public servant;
- b) conditions of the lump sum payment incentive;
- c) date of termination of employment;
- d) amount of lump sum payment;
- e) rate of pay on which lump sum payment is based;
- f) period of lump sum payment including start date, end date and number of weeks; and
- g) number and amount (professional fees) of other contracts subject to the restrictions of a work force reduction program.

For all contracts awarded during the lump sum payment period, the total amount of fees that may be paid to a FPS who received a lump sum payment is \$5,000, including Applicable Taxes.

3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as proprietary will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

4. Applicable Laws

Any resulting Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid - three (3) hard copy and one (1) soft copy via email;

Section II: Financial Bid - one (1) hard copy and one (1) soft copy via email,

Section III: Certifications - one (1) hard copy and one (1) soft copy via email; and

If there is a discrepancy between the wording of the soft copy and the hard copy, the wording of the hard copy will have priority over the wording of the soft copy.

Bidders can bid on more than one Service Group, specified in Annex A, but must submit one separate bid for each specified Service Group. Canada requests that bidders clearly identify in the first pages of their bid which Service Group they are bidding on.

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement

(<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

The Bidder must to provide one separate Technical Bid for each Service Group in its entirety, for which the Bidder is submitting a bid and should clearly label each separate technical bid to identify the Service Group as follows:

- 1. **Service Group 1: Remanufactured Toner Cartridges**
- 2. **Service Group 2: Protective Clothing**
- 3. **Service Group 3: Construction Products - Polyethylene Vapour Barrier**
- 4. **Service Group 4: Medical Gloves**

In their technical bid, bidders should demonstrate their understanding of the requirements contained in the bid solicitation and explain how they will meet these requirements. Bidders should demonstrate their capability in a thorough, concise and clear manner for carrying out the work.

The technical bid should clearly address and in sufficient depth the points that are subject to the Mandatory Technical Evaluation Criteria against which the bid will be evaluated. Simply repeating the

statement contained in the bid solicitation is not sufficient. In order to facilitate the evaluation of the bid, Canada requests that bidders address and present topics in the order of the Mandatory Technical Evaluation Criteria under the same headings. To avoid duplication, bidders may refer to different sections of their bids by identifying the specific paragraph and page number where the subject topic has already been addressed.

For each Service Group, there are a number of tests to be carried out. Failure to bid on all test requirements within the specific group of Standards will result in the bid to be declared non-responsive.

Section II: Financial Bid

1.1 The Bidder must provide one separate financial bid for each service group for which the Bidder is submitting a bid and should clearly label each separate financial bids to identify the Service Group as follows:

- 1. Service Group 1: Remanufactured Toner Cartridges**
- 2. Service Group 2: Protective Clothing**
- 3. Service Group 3: Construction Products - Polyethylene Vapour Barrier**
- 4. Service Group 4: Medical Gloves**

1.2 Bidders must submit their financial bid in accordance with the following:

- (a) A firm, all-inclusive unit price for each test requirement within each specific standard in a Service Group of for each year of the Contract period, and both option periods for which the Bidder is submitting a bid. These prices should be in accordance with the Financial Bid Presentation Sheet at Attachments 3, 4, 5, 6 and 7. Each unit price must be based on the testing of a **single** unit, unless otherwise specified herein. The total amount of all applicable taxes is to be shown separately.
- (b) Prices must be in Canadian funds, Canadian customs duties and excise taxes included, and all applicable taxes excluded.

1.3 Exchange Rate Fluctuation

C3011T (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

1.1 Technical Evaluation

1.1.1 Mandatory Technical Criteria - Eligibility of Test Facility or Facilities:

- (1) The bidder must identify in its bid the test facility or facilities and its subcontractor(s), that will be used in the performance of each test, group of tests, Standard or group of Standards.

The Bidder must identify in its bid:

- a) the name of test facility;
- b) the complete mailing address for the test facility;
- c) a contact person and its contact information; and
- d) the test, group of tests, standards or group of standards to be conducted at the test facility which requirement applies to each facility.

- (2) The Bidder must demonstrate in its bid that it and its Subcontractor(s) meet one or more of the following requirements for each of their respective test facilities identified:

- (a) The Bidder and each Subcontractor must hold a valid CGSB Laboratory Acceptance Program (LAP) Listing Number to ISO 17025(2005 or 2017)

The Bidder must submit the CGSB Laboratory Acceptance Program (LAP) listing number(s) for itself and the Subcontractor(s). The CGSB will verify and confirm the validity of the LAP listing number(s).

OR

- (b) The Bidder and each subcontractor(s) must be accredited to ISO 17025 (2005 or 2017) by the Standards Council of Canada (SCC)

OR

- (c) The Bidder and each subcontractor must be accredited to ISO 17025(2005 or 2017) by another accreditation organization with which CGSB or SCC has a Mutual Recognition Agreement (MRA). (see SCC website: <http://www.scc.ca/en/accreditation>)

For (b) and (c) above, the Bidder must submit a copy of its and each Subcontractors certificate of accreditation and must provide a copy of their complete scope of accreditation, including the test methods for which the Bidder and the Subcontractor (s) are accredited. Only laboratories covered under the scope of acceptance or accreditation will be considered.

1.2 Financial Evaluation

1.2.1 Evaluation of Price

- (a) The price of each bid will be evaluated in Canadian dollars, the applicable taxes excluded, FOB destination, Canadian customs duties and excise taxes included.
- (b) For evaluation purposes only, the lowest evaluated aggregate price per Service Group will be calculated by adding together the results of the multiplication of the firm, all-inclusive unit prices proposed and the estimated utilization for all of the Performance Requirement tests of a specific standard or group of standards (as applicable), for each year of the contract, and including the option periods in that particular Service Group.

2. Basis of Selection

2.1 Basis of Selection - Lowest Evaluated Aggregate Price

To be declared responsive, a bid must:

- (a) comply with all the requirements of the bid solicitation;
- (b) meet all mandatory technical evaluation criteria.

Bids not meeting (a) or (b) will be declared non-responsive. For each Service Group, responsive bids will be ranked in ascending order of evaluated aggregate prices; the responsive bid offering the lowest evaluated aggregate price being ranked first. Of the highest ranked responsive bids, up to two (2) will be recommended for award of a contract. In the event that there are two (2) or more responsive bids in a particular Service Group, the second ranked responsive bid will be the one offering the second lowest evaluated aggregate price, which must be within 25% of the evaluated aggregate price of the first ranked responsive bid.

PART 5 - CERTIFICATIONS

Bidders must provide the required certifications and documentation to be awarded a contract.

The certifications provided by bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default, if any certification made by the Bidder is found to be untrue whether during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply with this request will also render the bid non-responsive or will constitute a default under the Contract.

1. Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the Integrity declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

1.1 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](#)" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list at the time of contract award.

2. Additional Certifications Precedent to Contract Award

The certifications in Attachment 1, Certifications Precedent to Contract Award, should be completed and submitted with the bid but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Contracting Authority will so inform the Bidder and provide the Bidder with a time frame within which to meet the requirement. Failure to comply with the request of the Contracting Authority and meet the requirement within that time period will render the bid non-responsive.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

1. Requirement

The Contractor must carry out tasks, the general nature of which is outlined in the Requirement attached hereto as Annex "A", on an "as and when requested" basis, during the period of the Contract. Each task will be defined and authorized as specified herein.

1.1 Task Authorization

The Work or a portion of the Work to be performed under the Contract will be on an "as and when requested basis" using a Task Authorization (TA). The Work described in the TA must be in accordance with the scope of the Contract.

As more than one Contract has been awarded for this requirement, a request to perform a task will be sent to the first ranked Contractor. If that Contractor confirms in writing that it is unable to perform the task as a result of previous commitments under a TA, the request to perform a task will then be forwarded to the Contractor ranked second. This process will continue until the task can be performed by another Contractor. If no Contractor can perform the task, Canada reserves the right to acquire the required Work by other means. A Contractor may advise the Technical Authority and the Contracting Authority in writing that it is unable to carry out additional tasks as a result of previous commitments under a TA and no request to perform a task will be sent to that Contractor until that Contractor has given notice in writing to the Technical Authority and the Contracting Authority that it is available to perform additional tasks.

1.1.1 Task Authorization Process

The Technical Authority will provide the Contractor with a description of the task using the Task Authorization form specified in Annex C.

The Task Authorization (TA) will contain the details of the activities to be performed, a description of the deliverables, and a schedule indicating completion dates for the major activities or submission dates for the deliverables. The TA will also include the applicable basis and methods of payment as specified in the Contract.

The Contractor must provide the Technical Authority, within five (5) calendar days of its receipt, the proposed total estimated cost for performing the task and a breakdown of that cost, established in accordance with the Basis of Payment specified in the Contract.

The Contractor must not commence work until a TA authorized by the Technical Authority has been received by the Contractor. The Contractor acknowledges that any work performed before a TA has been received will be done at the Contractor's own risk.

1.1.2 Task Authorization Limit

The Technical Authority may authorize individual task authorizations up to a limit of **\$46,000.00** and applicable taxes included, inclusive of any revisions.

Any task authorization to be issued in excess of that limit must be authorized by the Contracting Authority before issuance.

1.1.3 Task Authorization - Order of Ranking

(for Service Groups 1, 2, 3 and 4)

___ () contracts (**Information to be inserted at Contract Award**) were awarded as a result of Public Services and Procurement Canada (PWGSC) bid solicitation number: _____ () (**Information to be inserted at Contract Award**)

The Contractors' order of ranking is as

follows: Ranked first: _____

Ranked second: _____

1.1.4 Allocation of Work (for Service Groups 1, 2, 3 and 4)

In the event that more than one contract is awarded for a Service Group, task authorizations will be issued as per the following method:

(a) The first ranked Contractor for the following Service Groups:

- Service Group 1: Remanufactured Toner Cartridges
- Service Group 2: Protective Clothing;
- Service Group 3: Construction Products: Polyethylene Vapour Barrier; and
- Service Group 4: Medical Rubber Gloves.

Will be provided with an allocation of 65% of the predetermined amount of the work for that particular Service Group, and the second ranked Contractor will be provided with the opportunity to receive an allocation of the remaining 35% of the predetermined amount of the work for that particular Service Group.

If any Option period is exercised the first ranked Contractor will be provided with the an allocation of 65% of the Option periods predetermined amount of the work for that particular Service Group and the second ranked Contractor will be provided with an allocation of 35% of the Option periods predetermined amount of the work for that particular Service Group.

(b) The First Ranked Contractor for Service Group 1: Remanufactured Toner Cartridge, which includes section Remanufactured Toner Cartridge, Benchmark Testing, will be provided with an allocation of 50% of the predetermined amount of the work for this Service Group, and the second ranked Contractor, will be provided with an allocation of the remaining 50% of the predetermined amount of the work for this Service Group;

If any Option period is exercised for Service Group 1, the first ranked Contractor will be provided with an allocation of 50% of the Option period's predetermined amount of the work for this Service Group, and the second ranked Contractor will be provided an allocation of 50% of the Option period's predetermined amount of the work for this Service Group.

(c) In the event that only one Contract is awarded for a Service Group, 100% of the predetermined amount of the work for that Service Group will be allocated to the Contractor.

2. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual issued by Public Services and Procurement Canada.

<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>

2.1 General Conditions

2035 (2018-06-21), General Conditions - Higher Complexity - Services, apply to and form part of the Contract.

3. Term of Contract

3.1 Period of Contract

The period of the Contract is from date of Contract award to 3 years after the date of contract, inclusively.

3.2 Option to Extend the Contract

The Contractor grants to Canada the irrevocable option to extend the term of the Contract by up to two (2) additional one (1) year periods under the same conditions. The Contractor agrees that, during the extended period of the Contract, it will be paid in accordance with the applicable provisions as set out in the Basis of Payment.

Canada may exercise this option at any time by sending a written notice to the Contractor at least thirty (30) calendar days before the expiry date of the Contract. The option may only be exercised by the Contracting Authority, and will be evidenced for administrative purposes only, through a contract amendment.

4. Authorities

4.1 Contracting Authority

The Contracting Authority for the Contract is:

Eric Beaudry
Supply Specialist

Public Works and Government Services Canada
Place du Portage, Phase III, 5C2
11 Laurier Street
Gatineau, Quebec
K1A 0S5

Telephone: 819 420-2795
E-mail address: eric.beaudry@tpsgc-pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

4.2 Technical Authority

The Technical Authority for the Contract is:

(Information to be inserted at Contract Award)

The Technical Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority; however, the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

4.3 Contractor's Representative

The Contracting Representative for the Contract is:

Name: _____
Title: _____
Organization: _____
Address: _____
Telephone: _____
Facsimile: _____
E-mail address: _____

(Information to be inserted at Contract Award)

The Contracting Representative is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

5. Payment

5.1 Basis of Payment - Firm Unit Price TA

In consideration of the Contractor satisfactorily completing all of its obligations under the authorized Task Authorization (TA), the Contractor will be paid firm unit price(s) in accordance with the Basis of Payment, in Annex "B" as specified in the authorized TA. Customs duties are included and all applicable taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been authorized, in writing, by the Contracting Authority before their incorporation into the Work.

5.2 Minimum Work Guarantee - All the Work - Task Authorizations

1. In this clause,

"Maximum Contract Value" means the amount specified in the "Limitation of Expenditure" clause set out in the Contract; and "Minimum Contract Value" means **10%** of the Maximum Contract Value.

2. Canada's obligation under the Contract is to request Work in the amount of the Minimum Contract Value or, at Canada's option, to pay the Contractor at the end of the Contract in accordance with paragraph 3. In consideration of such obligation, the Contractor agrees to stand in readiness throughout the Contract period to perform the Work described in the Contract. Canada's maximum liability for work performed under the Contract must not exceed the Maximum Contract Value, unless an increase is authorized in writing by the Contracting Authority.

3. In the event that Canada does not request work in the amount of the Minimum Contract Value

during the period of the Contract, Canada must pay the Contractor the difference between the Minimum Contract Value and the total cost of the Work requested.

4. Canada will have no obligation to the Contractor under this clause if Canada terminates the Contract in whole or in part for default.

5.2.1 Limitation of Expenditure - Cumulative Total of all Task Authorizations

1. Canada's total liability to the Contractor under the Contract for all authorized Task Authorizations (TAs), inclusive of any revisions, must not exceed the sum of \$_____ (**amount to be inserted at contract award**). Customs duties are excluded and applicable taxes are extra, if applicable.
2. No increase in the total liability of Canada will be authorized or paid to the Contractor unless an increase has been approved, in writing, by the Contracting Authority.
3. The Contractor must notify the Contracting Authority in writing as to the adequacy of this sum:
 - (a) when it is 75 percent committed, or
 - (b) four (4) months before the contract expiry date, or
 - (c) as soon as the Contractor considers that the sum is inadequate for the completion of the Work required in all authorized TAs, inclusive of any revisions, whichever comes first.
4. If the notification is for inadequate contract funds, the Contractor must provide to the Contracting Authority, a written estimate for the additional funds required. Provision of such information by the Contractor does not increase Canada's liability.

5.3 Method of Payment

5.3.1 Payments will be made not more frequently than once a month.

5.3.2 Under the terms of payment specified in the Task Authorization (TA), the following will apply.

5.3.2.1 Single Payment

Canada will pay the Contractor upon completion and delivery of the Work in accordance with the payment provisions of the Task Authorization and the Contract if:

- (a) an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;
- (b) all such documents have been verified by Canada;
- (c) the Work delivered has been accepted by Canada.

5.4 SACC Manual Clauses

A9117C (2007-11-30), T1204 - Direct Request by Customer Department
C0305C (2008-05-12), Cost Submission

5.5 Discretionary Audit

C0705C (2010-01-11), Discretionary Audit

6. Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. The invoice must show the Task Authorization (TA) number. Invoices cannot be submitted until all work identified on the invoice is completed.
2. Invoices must be distributed as follows:
 - (a) One (1) copy must be submitted in an electronic format to the Technical Authority identified under the section entitled "Authorities" of the Contract for certification and payment. Microsoft Word, Adobe Reader (.pdf) formats are acceptable.
 - (b) One (1) copy must be submitted in an electronic format to the Contracting Authority identified under the section entitled "Authorities" of the Contract. Microsoft Word, Adobe Reader (.pdf) formats are acceptable.

7. Certifications

7.1 Compliance

Compliance with the certifications and related documentation provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the entire contract period. If the Contractor does not comply with any certification, provide the related documentation or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

7.2 A3060C (2008-05-12), Canadian Content Certification

8. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in _____ **(to be inserted at contract award)**.

9. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2035 (2018-06-21), General Conditions - Higher Complexity- Services;
- (c) Annex A, Requirement;
- (d) Annex B, Basis of Payment;
- (e) the signed Task Authorizations (including all of its annexes, if any);
- (f) the Contractor's bid dated _____.

10. Foreign Nationals (Canadian Contractor)

SACC Manual clause A2000C (2006-06-16), Foreign Nationals (Canadian Contractor)

11. Insurance

SACC Manual clause G1005C (2008-05-12), Insurance

12. Periodic Usage Reports - Contracts with Task Authorizations

The Contractor must compile and maintain records on its provision of services to the federal government under authorized Task Authorizations issued under the Contract.

The Contractor must provide this data in accordance with the reporting requirements detailed below if some data is not available, the reason must be indicated. If services are not provided during a given period, the Contractor must still provide a "NIL" report.

The data must be submitted on a quarterly basis to the Contracting Authority.

The quarterly periods are defined as follows:

- 1st quarter: April 1 to June 30;
- 2nd quarter: July 1 to September 30;
- 3rd quarter: October 1 to December 31; and
- 4th quarter: January 1 to March 31.

The data must be submitted to the Contracting Authority no later than 15 calendar days after the end of the reporting period.

Reporting Requirement- Details

A detailed and current record of all authorized tasks must be kept for each contract with a task authorization process. This record must contain:

For each authorized task:

- (i) the authorized task number or task revision number(s);
- (ii) a title or a brief description of each authorized task;
- (iii) the total estimated cost specified in the authorized Task Authorization (TA) of each task, applicable taxes extra;
- (iv) the total amount, applicable taxes extra, expended to date against each authorized task;
- (v) the start and completion date for each authorized task; and
- (vi) the active status of each authorized task, as applicable.

For all authorized tasks:

- (i) the amount (applicable taxes extra) specified in the contract (as last amended, as applicable) as Canada's total liability to The Contractor for all authorized TSA; and
- (ii) The total amount, applicable taxes extra, expended to date against all authorized Task.

ANNEX A

REQUIREMENT

1.0 TITLE: LABORATORY TESTING SERVICES

2.0 OBJECTIVE

The purpose of the requirement is to obtain laboratory-testing services on an “as and when requested basis”, in support of the Canadian General Standards Board (CGSB) qualification and certification programs.

3.0 BACKGROUND

The CGSB, as an accredited certification body by the Standards Council of Canada (CSC), administers a variety of product specific certification and qualification programs. These programs are designed to provide lists identifying sources of supply of products that meet known standards of performance. The programs provide a convenient, cost-effective way for manufacturers to demonstrate to government and corporate buyers, wholesalers, retailers and consumers that their products meet standards and/or specifications recognized throughout the industry. To become certified or qualified applicants are required to submit documentation including product test reports, and quality manuals, to ensure they conform to the appropriate standards. The CGSB publishes program manuals, which outline all the requirements for qualification.

The product specific certification and qualification programs are as follows:

- Medical Examination Gloves
- Polyethylene Vapour Barriers
- Workwear for Protection against Hydrocarbon Flash Fire
and Optionally Steam and Hot Fluids
- Fireline Workwear for Wildland Firefighters
- Remanufactured Toner Cartridges

Each program is based on a national or international standard, or group of standards.

The technical evaluation of a program participant's product or product line consists of a review of test reports and other relevant documentation to ensure:

- The proper tests were performed and the product conforms to all the requirements of the standard, and any other technical requirements stated in the program manual.
- All required components of a program participant's product line have been tested to ensure the entire product line is eligible for certification.
- The product or components tested reflect the worst-case testing scenario for the product line, ensuring the entire range of products is eligible for certification.
- Testing has been completed by a laboratory acceptable to the CGSB and the report conforms to the requirements within ISO 17025 - General Requirements for the Competence of Calibration and Testing Laboratories.
- The manufacturing facility where the products are produced must meet the requirements of ISO 9001:2015 Quality Management Systems – Requirements.

Once a technical evaluation of the product or product line is complete a product listing description is developed. This description contains the manufacturing facility, product description including components, and listing date. Once the program participant conforms to all other non-technical requirements stated in the program manual, the product is certified and the listing is posted to the CGSB website.

All program participants are required to recertify their products at a minimum annually. Recertification consists of the same review as initial certification. The SCC accreditation requires CGSB to control the laboratory testing process. As CGSB does not have laboratory facilities, CGSB must contract out the testing services to ensure products and product lines continue to meet the standard and other program requirements.

CGSB periodically reviews the programs as standards are updated and revised. These technical changes are evaluated and incorporated into the program, including changes to testing procedures, performance requirements and benchmarking. CGSB will require the laboratories providing testing services to implement the changes.

4. SCOPE OF WORK

The Canadian General Standards Board (CGSB) has a requirement for the supply of laboratory testing services for the qualification listing of remanufactured toner cartridges and for the certification listing of fireline workwear for wildland firefighters, workwear for protection against hydrocarbon flash fire and optionally steam and hot fluids, medical gloves and polyethylene vapour barriers. The laboratory testing services are required on an as and when requested basis.

5. TASKS, DELIVERABLES AND

REPORTING: Test Reporting Requirements:

In addition to that required by each standard, and unless specified otherwise in the proceeding Annexes, test reports submitted to CGSB must include the following information:

1. Each report must include the following:
 - Manufacturer name and address,
 - Standard Number,
 - Qualification or Certification Number,
 - Type and Class (if applicable),
 - Date of Sample Received,
 - Date of Manufacture,
 - Sample Condition (if applicable),
 - Test Date/Period,
 - Brand name of product(s) tested (if applicable),
 - Generic Name of Product (if applicable) and any other information specified in the task authorization form.
2. Numeric results, where applicable, for each element tested must be provided and the results for each element must be identified as "Pass" or "Fail". Each element, where applicable, must be grouped under "Major" and "Minor" defects. Numeric results must be rounded to the number of significant digits indicated in the standard, unless specified otherwise in the task authorization form.
3. For each test performed on a sample (including individual components and assemblies), the

paragraph number or section of the standard, title of the test method, and required value, per the standard, must be included in the test report.

4. Deviations made from the standard test method, if required, and the reasons for such deviations to the test method must be noted in the report.
5. Laboratories must include a copy of the completed sample pickup and request form with the test reports.

NOTE: Unless specified otherwise, should the brand name of the product being tested not be identified on the sample received, or should the "Sample Pickup Request" form and/or the "Supplier Certification for Testing" form (duly completed and signed by the manufacturer) not be included with the samples received, the Contractor must not proceed with testing and must advise CGSB, in writing, immediately of the missing information.

6. Use of any test facilities, other than that indicated on the test report, must be noted on the report.

Other Requirements:

1. If the capability to perform one or more test methods within a standard or complete standard is not available within the test facility, the Contractor may subcontract the work, provided the subcontractor meets the requirements under "Eligibility of Test Facility or Facilities".
2. The Contractor must advise CGSB, by facsimile or e-mail, within two (2) working days of receipt of samples submitted for testing.
3. The Contractor must provide CGSB with an electronic copy of each test report, duly signed and dated. The electronic test reports must be provided in a format (for example PDF) that cannot be modified.
4. Unless indicated otherwise in this Annex, the Contractor must hold all samples received for testing for a period of sixty (60) calendar days, from date of test report. Unless advised otherwise, in writing by CGSB, at the end of the sixty (60) calendar day period the Contractor must dispose or return the samples tested to the manufacturer, as the case may be.
5. For certain standards, results from certain tests may require additional testing to be conducted. In such instances, the Contractor must not proceed with any additional testing until an amendment to the task authorization form has been received.

6. Location of Work:

All tasks performed will be at the Contractors location.

7. Travel:

There is no travel associated with this requirement.

8. Language:

All reports must be delivered in English.



APPENDIX 1 TO ANNEX A

SERVICE GROUP 1 - REMANUFACTURED TONER CARTRIDGES

APPENDIX 1.1 TO ANNEX A

REMANUFACTURED TONER CARTRIDGES

1. Performance Requirements:

The yield and density requirements are as follows:

| Cartridge type | Yield | Density of printed images | Density |
|---------------------|--------------------------------------|---------------------------|--|
| HP CC364X | 11,400 copies (minimum result) | 1.45 (minimum result) | (minimum result at 11,000 copies) 1.43 |
| Lexmark T650H21A | 24,400 copies (minimum result) | 1.38 (minimum result) | (minimum result at 11,400 copies) 1.38 |
| HP Q5945A | 9,900 copies (minimum result) | 1.55 (minimum result) | (minimum result at 8,200 copies) 1.53 |
| Lexmark 64035HA | 10,000 copies (minimum result) | 1.39 (minimum result) | (minimum result at 10,000 copies) 1.35 |

2. Testing Instructions:

- a) The font type and size used in the printing of Figure 2 of the CAN/CGSB-53.148-2017 standard dated September 2017 must be Courier 12.
- b) All printer settings must be at the mid-point if a range of settings is available and the setting is not specified by the manufacturer.
- c) In the event that the first sample cartridge fails the performance requirements of the standard (refer paragraph. 7.1 of the standard), the Contractor must not continue with testing of the second sample.
- d) Should the cartridge sample not be identified by the product type (i.e. HP CC364X, HP Q5945A, Lexmark T650H21A, or Lexmark 64035HA) or the product name, testing must not be conducted and the Technical Authority must be notified immediately.
- e) Density of printed images (refer paragraph. 7.2.6 and 7.2.7.2 (b) of the CAN/CGSB-53.148-2017 standard) must only be tested for initially and at the defined, partially depleted toner level. The density of printed images requirement must not be tested for beyond that point.
- f) Yield testing must continue and the results reported, until failure occurs, even if the total copies printed of Figure 2, in the CAN/CGSB-53.148-2017 standard, exceeds the minimum yield requirement for the cartridge engine.
- g) The Contractor must print a test print, prior to conducting the yield test (paragraph. 7.2.7 of the CAN/CGSB-53.148-2017 standard) but after conducting the Density of printed images test as specified in paragraph 7.2.6 of the CAN/CGSB-53.148-2017 standard. The test print must indicate the current page count from the printer being used in the test. Upon failure of the cartridge being

tested for yield or density of printed images (at the defined, partially depleted toner level), the test print, indicating page count must be printed.

- h) Procedure used in paragraph 7.2.7.2 (c) of the CAN/CGSB-53.148-2017 standard is amended as follows:

Testing for compliance of the printed Figure 2 of the CAN/CGSB-53.148-2017 standard, against the requirements in paragraph 7.2.7.2 (b), must take place in 5% increments starting at 85% of minimum yield required, until failure occurs.

At the point failure occurs, the number of pages, to the nearest hundred, must be determined.

3. Reporting Requirements:

The following, in addition to that required to be reported by CAN/CGSB-53.148-2017, must be included in the test report:

- a) Environmental conditions (i.e. temperature and relative humidity) of the Contractor's facility (laboratory) at the beginning and the end of each testing cycle.
- b) Type and serial number of printer(s) used for testing.
- c) Product brand name, serial number of cartridge tested, qualification number of cartridge tested, name of firm, manufacturing address of product tested, standard number, cartridge engine type, date of test, date of report, test report number.
- d) Printer settings, if other than the default setting is used.
- e) Point during the test (i.e. number of copies printed) at which the toner cartridge is removed, rocked and then placed back into the printer so that testing may continue.
- f) In the event of a major defect (refer paragraph 7.2.1 of CAN/CGSB-53.148-2017) or a failure in the yield requirement (refer paragraph 7.2.7 of CAN/CGSB-53.148-2017) in the cartridge tested, a minimum of four (4) pages of the appropriate test print(s) (refer figure 1 of CAN/CGSB-53.148-2017 or figure 2 of CAN/CGSB-53.148-2017) must be submitted to the Technical Authority with the test report.
- g) Each test print must contain the following information: test report number, name of the program participant whose product was tested, product brand name, type of cartridge, serial number of cartridge, date of test, point at which test print was printed (e.g. if figure 1 was printed then indicate if density of printed images was measured initially or at the defined, partially depleted toner level).
- h) The Contractor must provide with the test report a copy of the warranty and maintenance instruction documents submitted. The Technical Authority will be responsible for determining compliance of the content of the warranty and maintenance instruction documents to the standard.
- i) The Contractor must provide a copy of the self-test print, from the test printer used, which confirms starting and ending page count for the yield test.

- j) Reporting against yield test, paragraph 7.2.7 of CAN/CGSB-53.148-2017, must be reported to the nearest one hundred copies.
- k) Each test print, refer figure 1 of CAN/CGSB-53.148-2017, must identify approximate location at which density of printed images was measured and where repetitive voids are checked.

4. Other requirements:

- a) The Contractor must keep a service log, which must be made available to the Technical Authority upon request that details the complete servicing history of each test printer used. The service log must include details on the service history of each printer component. The list and the service life of each component must be as specified in the OEM printer service manual. The service log must, as a minimum, detail the date of service or replacement of each printer component or both, page count at which the service was provided and number of hours of printer use, if applicable.
- b) The Contractor must have a minimum of two (2) of each type of printer required for testing purposes.
- c) Each test printer must have its own isolated power circuit. That is, each test printer must have its own electrical outlet and no other items must use this electrical outlet.
- d) Each test printer must be attached to its own UPS (Uninterruptible Power Supply) unit.
- e) Testing must be conducted keeping in mind the duty cycle of each printer as follows:

| Printer Type | Cartridge Engine | Duty Cycle (maximum pages per month) |
|----------------------|------------------|---|
| Laser Jet P4015n | HP CC364X | 225K |
| Laser Jet M4345x mfp | HP Q5945A | 200K |
| Lexmark T654n | Lexmark T650H21A | 300k |
| Lexmark T644dtn | Lexmark 64035HA | 250k |

5. Complaint Mechanism:

In the event that testing results in the non-compliance of the samples submitted (refer paragraph 7.1 of CAN/CGSB-53.148-2017), the failing cartridge sample must be held for a period of thirty (30) days. This holding period commences on the date that the firm, whose sample failed, is notified of the failure. At the end of the thirty-day waiting period, unless the lab is notified in writing to the contrary, the sample cartridge(s) must be returned to the manufacturer.

6. Testing Conditions:

Cartridge samples must be tested in a test room where the environmental conditions are 23°C ± 2°C and at 50% ± 5% Relative Humidity.

APPENDIX 1.2 TO ANNEX A

REMANUFACTURED TONER CARTRIDGES

Estimated Annual Quantities:

Standard: CAN/CGSB-53.148-2017

| Cartridge Engine | Time Period | | | | |
|-------------------------|--------------------|---------------|---------------|------------------------|------------------------|
| | Year 1 | Year 2 | Year 3 | Option Period 1 | Option Period 2 |
| HP CC364X | 20 | 20 | 20 | 20 | 20 |
| Lexmark T650H21A | 20 | 20 | 20 | 20 | 20 |
| HP Q5945A | 20 | 20 | 20 | 20 | 20 |
| Lexmark 64035HA | 20 | 20 | 20 | 20 | 20 |

Note: Estimated quantities represent single cartridges not sets of two. Therefore, if the estimated quantity reads 20 then this means 20 cartridges **NOT** 20 sets of two (2) cartridges (or 40 in total).

APPENDIX 1.3 TO ANNEX A
REMANUFACTURED TONER CARTRIDGES

Test Requirements – HP CC364X

Standard: CAN/CGSB-53.148-2017

| Paragraph of Standard | Test Description |
|-----------------------|---|
| | Performance Requirements: |
| 5.5.2 | Print Quality |
| | Blasting |
| | Streaks |
| | Background Scatter |
| | Repetitive Voids |
| 5.5.3 | Density of printed images |
| | Initial |
| | At defined, partially depleted toner level |
| 5.5.4 | Smudging |
| 5.5.5 | Adhesion |
| 5.5.6 | Yield |
| | Other Requirements: |
| 6.1 | Packaging |
| 6.2 | Labelling identification |
| | Other Marking Requirements: a) Statement “Remanufactured Toner Cartridge” shall be evident b) CGSB Qualification Listing Number |
| 6.3 | Warranty/Maintenance Instruction |

APPENDIX 1.4 TO ANNEX A

REMANUFACTURED TONER CARTRIDGES

Test Requirements – Lexmark T650H21A

Standard: CAN/CGSB-53.148-2017

| Paragraph of Standard | Test Description |
|----------------------------------|---|
| Performance Requirements: | |
| 5.5.2 | Print Quality |
| | Blasting |
| | Streaks |
| | Background Scatter |
| | Repetitive Voids |
| 5.5.3 | Density of printed images |
| | Initial |
| | At defined, partially depleted toner level |
| 5.5.4 | Smudging |
| 5.5.5 | Adhesion |
| 5.5.6 | Yield |
| Other Requirements: | |
| 6.1 | Packaging |
| 6.2 | Labelling identification |
| | Other Marking Requirements: a) Statement "Remanufactured Toner Cartridge" shall be evident b) CGSB Qualification Listing Number |
| 6.3 | Warranty/Maintenance Instruction |

APPENDIX 1.5 TO ANNEX A

REMANUFACTURED TONER CARTRIDGES

Test Requirements – HP Q5945A

Standard: CAN/CGSB-53.148-2017

| Paragraph of Standard | Test Description |
|-----------------------|---|
| | Performance Requirements: |
| 5.5.2 | Print Quality |
| | Blasting |
| | Streaks |
| | Background Scatter |
| | Repetitive Voids |
| 5.5.3 | Density of printed images |
| | Initial |
| | At defined, partially depleted toner level |
| 5.5.4 | Smudging |
| 5.5.5 | Adhesion |
| 5.5.6 | Yield |
| | Other Requirements: |
| 6.1 | Packaging |
| 6.2 | Labelling identification |
| | Other Marking Requirements: a) Statement "Remanufactured Toner Cartridge" shall be evident b) CGSB Qualification Listing Number |
| 6.3 | Warranty/Maintenance Instruction |

APPENDIX 1.6 TO ANNEX A
REMANUFACTURED TONER CARTRIDGES

Test Requirements – Lexmark 64035HA:

Standard: CAN/CGSB-53.148-2017

| Paragraph of Standard | Test Description |
|----------------------------------|---|
| Performance Requirements: | |
| 5.5.2 | Print Quality |
| | Blasting |
| | Streaks |
| | Background Scatter |
| | Repetitive Voids |
| 5.5.3 | Density of printed images |
| | Initial |
| | At defined, partially depleted toner level |
| 5.5.4 | Smudging |
| 5.5.5 | Adhesion |
| 5.5.6 | Yield |
| Other Requirements: | |
| 6.1 | Packaging |
| 6.2 | Labelling identification |
| | Other Marking Requirements: a) Statement “Remanufactured Toner Cartridge” shall be evident b) CGSB Qualification Listing Number |
| 6.3 | Warranty/Maintenance Instruction |

APPENDIX 1.7 TO ANNEX A

REMANUFACTURED TONER CARTRIDGE BENCHMARK TESTING

Performance Requirements:

The Contractor must:

- a) Have sufficient number of printers (the Contractor must have a minimum of two (2) of each type of printer required for testing purposes) to conduct the required testing on the cartridge types specified herein without impacting on the performance of re-qualification testing specified herein.
- b) Purchase each cartridge type specified herein. Each cartridge purchased must be manufactured by an OEM (Original Equipment Manufacturer).
- c) Purchase of each cartridge type must be for equal quantity units from two different production lots.
- d) Complete the testing required for each cartridge type as specified herein.
- e) Submit the required test reports in the format specified, along with any other documentation stipulated herein for each cartridge type and within the time frame specified herein.
- f) Meet all other requirements specified herein.

1. Testing Instructions:

Unless specified otherwise, the testing instructions noted herein must apply to testing conducted in accordance with the requirements detailed in the CAN/CGSB-53.148-2017 standard.

- a) The font type and size used in the printing of Figure 2 of the CAN/CGSB-53.148-2017 standard must be Courier 12. All printer settings must be at the mid-point if a range of settings is available and the setting is not specified by the manufacturer.
- b) For each cartridge type tested, the printer settings must be set at the mid-point if a range of settings is available unless otherwise instructed by the manufacturer. The Contractor must print 100 copies of the test pattern on white xerographic copy paper conforming to CAN/CGSB-9.51. Copies 95 to 100 only must be used for testing against paragraph 7.2.6 of the CAN/CGSB-53.148-2017 standard.
- c) Density of printed images (refer to paragraph 7.2.6 of the standard) must only be tested for initially and at the defined, partially depleted toner level (as described in paragraph 7.2.7.2 (b) of the standard) only. The density of printed images requirement must not be tested for beyond the defined, partially depleted toner level.
- d) Yield testing must continue, and the results reported, until failure occurs, even if the total copies printed of Figure 2, of the CAN/CGSB-53.148-2017 standard, exceeds the minimum yield requirement for the cartridge engine.

e) The Contractor must print a test print, prior to conducting the yield test but after conducting the Density of printed images test as specified in paragraph 7.2.6 of the standard. The test print must indicate the current page count from the printer being used in the test. Upon failure of the cartridge being tested for yield or density of printed images, the test print, indicating page count, must be printed.

f) Procedure used in paragraph 7.2.7.2c of the standard is amended as follows:

Testing for compliance of the printed Figure 2 of the standard against the requirements in paragraph 7.2.7.2 b must take place in 5% increments starting at the defined, partially depleted toner level, until failure occurs.

At the point failure occurs, the number of pages, to the nearest hundred, must be determined.

Test Requirements:

| Paragraph of Standard | Test Description |
|-----------------------|---|
| 7.2.6 | Density of printed images |
| 7.2.7 | Yield |
| 7.2.7.2c | Density– at defined, partially depleted toner level |

2. Reporting Requirements:

Unless specified otherwise, the testing instructions noted herein must apply to testing conducted in accordance with CAN/CGSB-53.148-2017. The following, in addition to that required to be reported by the standard, must be included in the test report:

- a) Environmental conditions (i.e. temperature and relative humidity) of the lab at the beginning and the end of each testing cycle.
- b) Type and serial number of printer(s) used for testing.
- c) For each cartridge tested, the product brand name, serial number of each cartridge tested, batch number or lot number or expiry or best before date, standard number, cartridge type, date of test, date of report, test report number.
- d) Point during the test (i.e. number of copies printed) at which the toner cartridge is removed, rocked and then placed back into the printer so that testing may continue.
- e) Upon non-compliance of each cartridge tested against the yield requirements of paragraph 7.2.7 of CAN/CGSB-53.148-2017, a minimum of four (4) pages of the test prints must be submitted to the Technical Authority with the test report.
- f) Each test print shall contain the following information: test report number, product brand name, serial number of cartridge, date of test, point at which test print was printed (i.e. if

Figure 1 of the standard was printed then indicate if density of printed images was measured initially or at defined, partially depleted toner level.

- g) Yield test, paragraph 7.2.7 of the standard – Lab shall provide a copy of the self-test print, from the test printer used, which confirms starting and ending page count for the yield test.
- h) Reporting against yield test, paragraph 7.2.7 of the CAN/CGSB-53.148-2017 standard must be reported to the nearest on hundred copies.
- i) Each test print, refer to Figure 1 of CAN/CGSB-53.148-2017, must identify approximate location at which density of printed images was measured and where repetitive voids are checked.

3. Other requirements:

- a) Each test printer must have its own isolated power circuit. That is, each test printer must have its own electrical outlet and no other items must use this electrical outlet;
- b) Each test printer must be attached to its own UPS (Uninterruptible Power Supply) unit.
- c) The Contractor must perform all required servicing and maintenance on each printer used prior to commencing benchmark testing. In addition, the Contractor must ensure that any required maintenance and servicing that may be required during the testing is performed.
- d) The Contractor must calibrate any equipment used in the performance of the density of the images testing prior to the commencement of benchmark testing. Further calibration of the equipment used for density testing is not required unless there is reason to believe that further test results would be affected.
- e) Records of servicing, maintenance and calibration that meet the requirements of ISO 17025:2005 or 2017 must be made available to the Technical Authority upon request.

APPENDIX 1.8 TO ANNEX A

REMANUFACTURED TONER CARTRIDGE BENCHMARK TESTING

Estimated Annual Quantities:

Standard: CAN/CGSB-53.148-2017

| Cartridge Engine | Time Period | | | | |
|------------------|-------------|--------|--------|-----------------|-----------------|
| | Year 1 | Year 2 | Year 3 | Option Period 1 | Option Period 2 |
| HP CC364X | 10 | 10 | 10 | 10 | 10 |
| Lexmark T650H21A | 10 | 10 | 10 | 10 | 10 |
| HP Q5945A | 10 | 10 | 10 | 10 | 10 |
| Lexmark 64035HA | 10 | 10 | 10 | 10 | 10 |

Note: Estimated quantities represent single cartridges not sets of two. Therefore, if the estimated quantity reads 20 then this means 20 cartridges **NOT** 20 sets of two (2) cartridges (or 40 in total).

Test Requirements:

| Paragraph of Standard | Test Description |
|-----------------------|--|
| 7.2.6 | Density of printed images |
| 7.2.7 | Yield |
| 7.2.7.2c | Density – at defined, partially depleted toner level |

Delivery Requirement:

Submission of the required test reports and any other documentation specified herein, for all cartridges against which testing is required, must be received by CGSB within thirty (30) days from date specified in the Task Authorization Form.

APPENDIX 2 TO ANNEX A

SERVICE GROUP 2: PROTECTIVE CLOTHING

APPENDIX 2.1 TO ANNEX A

PROTECTIVE CLOTHING

Performance Requirements:

1. Testing Instructions:

- a) As per standard, unless otherwise specified.
- b) Indicate the following:
 - The batch, lot, serial number;
 - a detailed description of the component including the fabric weight (oz/ yd²); trade name; generic name (i.e. fibre content); supplier;
 - construction (i.e. twill/plain weave, metal, plastic, etc.); and
 - mill or lot # of each component must be identified by the company (see 2).
- c) A Certificate of Supplier Certification of Samples for Testing, signed by the manufacturer, must accompany all test reports submitted upon application and as paragraph of the ongoing testing schedule.

2. Reporting Requirements:

- The batch, lot or serial number;
- a detailed description of the component including the name and model number; fabric weight (oz/yd²); trade name; generic name (i.e. fibre content); supplier;
- construction (i.e. twill, plain weave, metal, plastic, etc.); and
- mill or lot # of each component tested must be recorded on the test report in order to be acceptable.

APPENDIX 2.2 TO ANNEX A

FIRELINE WORKWEAR FOR WILDLAND FIREFIGHTERS

Estimated Annual Quantities:

Standard: CAN/CGSB-155.22-2014

| | YEAR 1 | YEAR 2 | YEAR 3 | OPTION YEAR 1 | OPTION YEAR 2 |
|-----------------|---------------|---------------|---------------|----------------------|----------------------|
| Quantity | 5 | 5 | 6 | 6 | 7 |

Test Requirements:

| Paragraph of Standard | Test Description |
|---|---|
| Detailed Requirements – Textile fabric | |
| 5.1.1 | Flame Resistance (as received) |
| 5.1.1 | Flame Resistance (after 50 wash/dry cycles) |
| 5.1.1 | Flame Resistance (after 5 dry clean cycles) |
| 5.1.2 | Radiant Protection (after 5 wash/dry cycles) |
| 5.1.2 | Radiant Protection (after 5 dry clean cycles) |
| 5.1.3 | Heat Resistance |
| 5.1.4 | Thermal Shrinkage Resistance |
| 5.1.5 | Tearing Strength |
| 5.1.6 | Thermal Protection |
| 5.2 | Thread |
| 5.3 | Hardware |
| Closures | |
| 5.4.1 | Flame Resistance (as received) |
| 5.4.1 | Flame Resistance (after 50 wash/dry cycles) |
| 5.4.1 | Flame Resistance (after 5 dry clean cycles) |
| 5.4.2 | Heat Resistance |
| Seams: | |
| 5.5.1 | Seam Strength |
| Visibility Trim: | |
| 5.6.1 | Photometric Performance (CAN/CSA –Z96-02) |
| 5.6.2 | Flame Resistance |
| 5.6.3 | Heat Resistance |
| Other | |
| 5.7 | Full Scale Radiant Test (Optional) |
| Labelling | |
| 7.2 | Clearly legible (after 50 wash/dry cycles) |
| 7.3 | Clearly legible (after 5 dry clean cycles) |

APPENDIX 2.3 TO ANNEX A

**WORKWEAR FOR PROTECTION AGAINST HYDROCARBON FLASH FIRE
AND OPTIONALLY STEAM AND HOT FLUIDS**

Standard: CAN/CGSB-155.20-2017

Estimated Annual Quantities:

| | YEAR 1 | YEAR 2 | YEAR 3 | OPTION YEAR 1 | OPTION YEAR 2 |
|-----------------|---------------|---------------|---------------|----------------------|----------------------|
| Quantity | 6 | 7 | 8 | 8 | 9 |

Test Requirements:

| Paragraph of Standard | Test Description |
|------------------------------|--|
| Flame Resistance | |
| 6.1.1.1 | Flame Resistance for FR Workwear and FR Rainwear (as received) (Single layer/Multilayer) |
| 6.1.1.2 | Flame Resistance for FR Workwear (after 50 wash/dry cycles) (Single layer/Multilayer) |
| 6.1.1.2 | Flame Resistance for FR Workwear (after 5 dry clean cycles) (Single layer/Multilayer) |
| 6.1.1.3 | Flame Resistance for Multilayered cold weather insulation (after 25 wash/dry cycles) (Multilayered only) |
| 6.1.1.3 | Flame Resistance for Multilayered cold weather insulation (after 5 dry clean cycles) (Multilayered only) |
| 6.1.1.4 | Flame Resistance for FR rainwear fabrics (5 wash/dry cycles) (Single layer/Multilayer) |
| 6.1.2 | Flame Resistance for FR limited use garments(as |
| 6.1.3 | Exterior garment components (as received) |
| 6.1.3.1 | Flame Resistance for visibility trim (50 wash/dry cycles) |
| Thermal Protection | |
| 6.2 | Thermal Protection for FR workwear (Single layer/Multilayer) and FR rainwear |
| Heat Resistance | |
| 6.3.1 | Material system components and other textile materials for use in FR workwear (Single |
| 6.3.2 | Material system components intended for use in FR limited use garments |
| 6.3.3 | All hardware |
| 6.3.4 | Primary Closures |

APPENDIX 2.3 TO ANNEX A

**WORKWEAR FOR PROTECTION AGAINST HYDROCARBON FLASH FIRE
AND OPTIONALLY STEAM AND HOT FLUIDS**

Standard: CAN/CGSB-155.20-2017

| Paragraph of Standard (cont.) | Test Description |
|--|--|
| 6.3.5 | Thread intended for use in FR workwear (Single layer/Multilayer) and FR rainwear |
| Thermal Shrinkage Resistance | |
| 6.4.1 | Thermal Shrinkage Resistance for shell fabrics in FR workwear (Single layer/Multilayer) |
| 6.4.2 | Thermal Shrinkage resistance for material system components in FR limited use garments |
| Manikin Test | |
| 6.5.1 | Material system composites in FR workwear, FR rainwear, or FR limited use garments (Single layer/Multilayer) |
| 6.5.2 | As-sold FR rainwear (Single layer/Multilayer) |
| 6.5.3 | Primary closures on as-sold FR rainwear (Single layer/Multilayer) |
| Leak Resistance and Waterproofness | |
| 6.6 | FR rainwear test specimens (fabrics and seams) (Single layer/Multilayer) |
| Steam and hot fluid protection (optional) | |
| 6.7.1 | Material system composites for FR workwear, FR rainwear or FR limited use (according to 7.8.1) (Single layer/Multilayer) |
| 6.7.2 | Material system composites for FR workwear, FR rainwear or FR limited use (according to 7.8.2) (Single layer/Multilayer) |
| 6.7.3 | Material system composites for FR workwear, FR rainwear or FR limited use (according to 7.9) (Single layer/Multilayer) |
| Legibility of labels | |
| 6.8.1 | Labels for FR workwear of FR rainwear (50 wash/dry cycles) |
| 6.8.2 | Labels for FR workwear of FR rainwear (dry cleaned) |
| 6.8.3 | Labels for FR workwear of FR rainwear (50 wash/dry cycles or dry cleaned) |

APPENDIX 3 TO ANNEX A

SERVICE GROUP 3: CONSTRUCTION PRODUCTS -

POLYETHYLENE VAPOUR BARRIER

APPENDIX 3.1 TO ANNEX A

CONSTRUCTION PRODUCT: POLYETHYLENE VAPOUR BARRIER

Estimated Annual Quantities:

Standard: CAN/CGSB-51.34-M86

| | YEAR 1 | YEAR 2 | YEAR 3 | OPTION YEAR 1 | OPTION YEAR 2 |
|-----------------|---------------|---------------|---------------|----------------------|----------------------|
| Quantity | 18 | 18 | 18 | 18 | 18 |

Test Requirements:

| Paragraph of Standard | Test Description |
|----------------------------------|--|
| General requirements | |
| 4.1 | Appearance |
| 4.2 | Blocking |
| 4.3 | Integrity |
| 4.4 | Thermal Stability |
| Performance requirements: | |
| 5.1 | Sheet length & width |
| 5.2 | Resin Properties |
| 5.3 | Tensile Strength and Elongation |
| 5.4 | Water Vapour Permeance |
| 5.5 | Thickness |
| 5.6 | Impact strength |
| 5.7 | Oxidative induction time |
| 5.8 | Outdoor weathering resistance |
| Preparation for Delivery | |
| 6.1 | Marking of film |
| 6.2 | Packing and Packaging |
| 6.3 | Labelling |
| | Labelling requirements including the following: 1. CGSB Certification Mark 2. CGSB Certification Listing Number 3. CGSB Standard Number |

APPENDIX 4 TO ANNEX A SERVICE GROUP 4:

MEDICAL RUBBER GLOVES

APPENDIX 4.1 TO ANNEX A

SINGLE USE MEDICAL EXAMINATION GLOVES

Estimated Annual Quantities:

Standard: ISO 11193-1:2008

| | YEAR 1 | YEAR 2 | YEAR 3 | OPTION YEAR 1 | OPTION YEAR 2 |
|-----------------|---------------|---------------|---------------|----------------------|----------------------|
| Quantity | 75 | 75 | 75 | 75 | 75 |

Sampling Plans:

Testing must be performed using the Multiple Sampling Plans using Normal Inspection specified in ISO 2859-1:1999, assuming a lot size 35 001 to 150 000 as specified below:

| Standard, Test Method Identification Number | Paragraph Reference | Test Description | Inspection Level | AQL |
|--|----------------------------|--|-------------------------|------------|
| ISO 11193-1:2008 | 6.1 | Dimensions | S-2 | 4,0 |
| | 6.2 | Watertightness | G-1 | 1,5 |
| | 6.3.2 | Tensile Properties – Force at break before accelerated ageing | S-2 | 4,0 |
| | | Tensile Properties – Elongation at break before accelerated ageing | S-2 | 4,0 |
| | 6.3.3 | Tensile Properties – Force at break after accelerated ageing | S-2 | 4,0 |
| | | Tensile Properties – Elongation at break after accelerated ageing | S-2 | 4,0 |

Test Requirements:

| Paragraph of Standard | Test Description |
|----------------------------------|---|
| Performance Requirements: | |
| 6.1 | Dimensions |
| 6.2 | Watertightness |
| Tensile Properties | |
| 6.3.2 | Force at break before accelerated ageing |
| 6.3.2 | Elongation at break before accelerated ageing |
| 6.3.3 | Force at break after accelerated ageing |
| 6.3.3 | Elongation at break after accelerated ageing |
| Marking | |
| 8.2 | Unit Package |
| 8.2.1 | Sterile Package |
| 8.2.2 | Non-Sterile Package |
| 8.3 | Multi-Unit Package |

Other Requirements:

| Test Description | Test Method (if applicable) |
|---|--|
| Residual powder on powder free gloves | ASTM D 6124 |
| Counting number of gloves in a package | |
| Other Labelling Requirements: CGSB Listing Number CGSB Certification Mark Program Participant Address Storage Instructions (as per program manual) | |

APPENDIX 4.2 TO ANNEX A

SINGLE USE STERILE SURGICAL RUBBER GLOVES

Estimated Annual Quantities:

Standard: ISO 10282:2014

| | YEAR 1 | YEAR 2 | YEAR 3 | OPTION YEAR 1 | OPTION YEAR 2 |
|-----------------|---------------|---------------|---------------|----------------------|----------------------|
| Quantity | 0 | 3 | 3 | 3 | 3 |

Sampling Plans:

Testing must be performed using the Multiple Sampling Plans using Normal Inspection specified in ISO 2859-1:1999, assuming a lot size 35 001 to 150 000 as specified below.

| Standard/Test Method Number | Paragraph Reference | Test Description | Inspection Level | AQL |
|------------------------------------|----------------------------|--|-------------------------|------------|
| ISO 10282:2014 | 6.1 | Dimensions | S-2 | 4.0 |
| | 6.2 | Watertightness | G-1 | 1.5 |
| | 6.3.2 | Tensile Properties – Force at break before accelerated ageing | S-2 | 4.0 |
| | | Tensile Properties – Elongation at break before accelerated ageing | S-2 | 4.0 |
| | 6.3.3 | Tensile Properties – Force at break after accelerated ageing | S-2 | 4.0 |
| | | Tensile Properties – Elongation at break after accelerated ageing | S-2 | 4.0 |
| | 6.3.4 | Force required to product 300% elongation | S-2 | 4.0 |

Test Requirements:

| Paragraph of Standard | Test Description |
|----------------------------------|---|
| Performance Requirements: | |
| 6.1 | Dimensions |
| 6.2 | Watertightness |
| Tensile properties | |
| 6.3.2 | Force at break before accelerated ageing |
| 6.3.2 | Elongation at break before accelerated ageing |
| 6.3.3 | Force at break after accelerated ageing |
| 6.3.3 | Elongation at break after accelerated ageing |
| 6.3.4 | Force required to produce 300% elongation |
| Marking | |
| 8.1 | General |
| 8.2 | Inner package |
| 8.3 | Unit package |
| 8.4 | Multi-unit package |

Other Requirements:

| Test Description | Test Method (if applicable) |
|---|--|
| Residual powder on powder free gloves | ASTM D 6124 |
| Counting number of gloves in a package | |
| Other Labelling Requirements: CGSB Listing Number CGSB Certification Mark Program Participant Address Storage Instructions (as per program manual) | |

APPENDIX 4.3 TO ANNEX A

SINGLE USE MEDICAL EXAMINATION GLOVES

Estimated Annual Quantities: Standard:

ASTM D5250-06 (2011)

| | YEAR 1 | YEAR 2 | YEAR 3 | OPTION YEAR 1 | OPTION YEAR 2 |
|-----------------|---------------|---------------|---------------|----------------------|----------------------|
| Quantity | 6 | 6 | 9 | 12 | 12 |

Sampling Plans:

Testing must be performed using the Multiple Sampling Plans using Normal Inspection specified in ISO 2859-1:1999, assuming a lot size 35 001 to 150 000 as specified below:

| Standard, Test Method Identification Number | Paragraph Reference | Test Description | Inspection Level | AQL |
|--|----------------------------|--|-------------------------|------------|
| | 7.4 | Physical Dimensions | S-2 | 4,0 |
| ASTM D5250-06(2011) | 7.3 | Freedom of hole | G-1 | 2,5 |
| | 7.5.1 | Tensile Properties – Force at break before accelerated ageing | S-2 | 4,0 |
| | | Tensile Properties – Elongation at break before accelerated ageing | S-2 | 4,0 |
| | 7.5.1 | Tensile Properties – Force at break after accelerated ageing | S-2 | 4,0 |
| | | Tensile Properties – Elongation at break after accelerated ageing | S-2 | 4,0 |

Test Requirements:

| Paragraph of Standard | Test Description |
|--------------------------------------|---|
| Performance Requirements: | |
| 7.4 | Physical Dimensions |
| 7.3 | Freedom of hole |
| 7.5.1 | Tensile Properties: |
| 7.5.1 | Force at break before accelerated ageing |
| 7.5.1 | Elongation at break before accelerated ageing |
| 7.5.1 | Force at break after accelerated ageing |
| 7.5.1 | Elongation at break after accelerated ageing |
| Packaging and Package Marking | |
| 9.1. | Sterile Packaging |
| 9.2 | Non-Sterile and Bulk Packaging |
| 9.33 | Package marking |

Other Requirements:

| Test Description | Test Method (if applicable) |
|---|--|
| Residual powder on powder free gloves | ASTM D 6124 |
| Counting number of gloves in a package | |
| Other Labelling Requirements: CGSB Listing Number CGSB Certification Mark Program Participant Address Storage Instructions (as per program manual) | |

ANNEX B BASIS OF PAYMENT

1. Firm Price per Test:

The Contractor will be paid a firm all-inclusive unit price per test, inclusive of overhead and profit, as follows for work performed in accordance with the Contract and in sections 1.1 and 1.2 below. Customs duties are included and applicable taxes are extra.

Service Group 1: Remanufactured Toner Cartridges - Contracts 1 & 2

1.1 Remanufactured Toner Cartridges

1.1.1 Lexmark T650H21A

Test Requirements: Standard: **CAN/CGSB-53.148-2017 Pricing** for these tests will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | OPTION YEAR 1 Unit Price | OPTION YEAR 2 Unit Price |
|---|--|---|--|--|--|--|
| | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award |
| Performance Requirements: | | | | | | |
| 5.5.2 | Print Quality | \$ | \$ | \$ | \$ | \$ |
| | Blasting | \$ | \$ | \$ | \$ | \$ |
| | Streaks | \$ | \$ | \$ | \$ | \$ |
| | Background Scatter | \$ | \$ | \$ | \$ | \$ |
| | Repetitive Voids | \$ | \$ | \$ | \$ | \$ |
| 5.5.3 | Density of printed images | \$ | \$ | \$ | \$ | \$ |
| | Initial | \$ | \$ | \$ | \$ | \$ |
| | At defined, partially depleted toner level | \$ | \$ | \$ | \$ | \$ |
| 5.5.4 | Smudging | \$ | \$ | \$ | \$ | \$ |
| 5.5.5 | Adhesion | \$ | \$ | \$ | \$ | \$ |
| 5.5.6 | Yield | \$ | \$ | \$ | \$ | \$ |
| Other Requirements: | | | | | | |
| 6.1 | Packaging | \$ | \$ | \$ | \$ | \$ |
| 6.2 | Labelling identification | \$ | \$ | \$ | \$ | \$ |
| Other Marking Requirements: | | | | | | |
| a) Statement "remanufactured Toner Cartridge" will be evident | | | | | | |
| b) CGSB Qualification Listing Number | | | | | | |
| 6.3 | Warranty/Maintenance Instruction | \$ | \$ | \$ | \$ | \$ |

ESTIMATED TOTAL: \$ _____
(Applicable taxes extra)

1.1.2 Lexmark 64035HA

Test **Requirements** – Pricing for these tests will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | OPTION YEAR 1 Unit Price | OPTION YEAR 2 Unit Price |
|--|--|---|--|--|--|--|
| | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award |
| Performance Requirements: | | | | | | |
| 5.5.2 | Print Quality | \$ | \$ | \$ | \$ | \$ |
| | Blasting | \$ | \$ | \$ | \$ | \$ |
| | Streaks | \$ | \$ | \$ | \$ | \$ |
| | Background Scatter | \$ | \$ | \$ | \$ | \$ |
| | Repetitive Voids | \$ | \$ | \$ | \$ | \$ |
| 5.5.3 | Density of printed images | \$ | \$ | \$ | \$ | \$ |
| | Initial | \$ | \$ | \$ | \$ | \$ |
| | At defined, partially depleted toner level | \$ | \$ | \$ | \$ | \$ |
| 5.5.4 | Smudging | \$ | \$ | \$ | \$ | \$ |
| 5.5.5 | Adhesion | \$ | \$ | \$ | \$ | \$ |
| 5.5.6 | Yield | \$ | \$ | \$ | \$ | \$ |
| Other Requirements: | | | | | | |
| 6.1 | Packaging | \$ | \$ | \$ | \$ | \$ |
| 6.2 | Labelling identification | \$ | \$ | \$ | \$ | \$ |
| Other Marking Requirements: a) Statement "Remanufactured Toner Cartridge" will be evident b) CGSB Qualification Listing Number | | | | | | |
| 6.3 | Warranty/Maintenance Instruction | \$ | \$ | \$ | \$ | \$ |

ESTIMATED TOTAL: \$ _____
(Applicable taxes extra)

1.1.3 HP CC364X

Test Requirements: Pricing for these tests will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | OPTION YEAR 1 Unit Price | OPTION YEAR 2 Unit Price |
|--|--|---|--|--|--|--|
| | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award |
| Performance Requirements: | | | | | | |
| 5.5.2 | Print Quality | \$ | \$ | \$ | \$ | \$ |
| | Blasting | \$ | \$ | \$ | \$ | \$ |
| | Streaks | \$ | \$ | \$ | \$ | \$ |
| | Background Scatter | \$ | \$ | \$ | \$ | \$ |
| | Repetitive Voids | \$ | \$ | \$ | \$ | \$ |
| 5.5.3 | Density of printed images | \$ | \$ | \$ | \$ | \$ |
| | Initial | \$ | \$ | \$ | \$ | \$ |
| | At defined, partially depleted toner level | \$ | \$ | \$ | \$ | \$ |
| 5.5.4 | Smudging | \$ | \$ | \$ | \$ | \$ |
| 5.5.5 | Adhesion | \$ | \$ | \$ | \$ | \$ |
| 5.5.6 | Yield | \$ | \$ | \$ | \$ | \$ |
| Other Requirements: | | | | | | |
| 6.1 | Packaging | \$ | \$ | \$ | \$ | \$ |
| 6.2 | Labelling identification | \$ | \$ | \$ | \$ | \$ |
| Other Marking Requirements: a) Statement "Remanufactured Toner Cartridge" will be evident b) CGSB Qualification Listing Number | | | | | | |
| 6.3 | Warranty/Maintenance Instruction | \$ | \$ | \$ | \$ | \$ |

ESTIMATED TOTAL: \$ _____
(Applicable taxes extra)

1.1.4 HP Q5945A

Test Requirements – HP Q5945A: Pricing for this test will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | OPTION YEAR 1 Unit Price | OPTION YEAR 2 Unit Price |
|--|--|---|--|--|--|--|
| | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award |
| Performance Requirements: | | | | | | |
| 5.5.2 | Print Quality | \$ | \$ | \$ | \$ | \$ |
| | Blasting | \$ | \$ | \$ | \$ | \$ |
| | Streaks | \$ | \$ | \$ | \$ | \$ |
| | Background Scatter | \$ | \$ | \$ | \$ | \$ |
| | Repetitive Voids | \$ | \$ | \$ | \$ | \$ |
| 5.5.3 | Density of printed images | \$ | \$ | \$ | \$ | \$ |
| | Initial | \$ | \$ | \$ | \$ | \$ |
| | At defined, partially depleted toner level | \$ | \$ | \$ | \$ | \$ |
| 5.5.4 | Smudging | \$ | \$ | \$ | \$ | \$ |
| 5.5.5 | Adhesion | \$ | \$ | \$ | \$ | \$ |
| 5.5.6 | Yield | \$ | \$ | \$ | \$ | \$ |
| Other Requirements: | | | | | | |
| 6.1 | Packaging | \$ | \$ | \$ | \$ | \$ |
| 6.2 | Labelling identification | \$ | \$ | \$ | \$ | \$ |
| Other Marking Requirements: a) Statement "Remanufactured Toner Cartridge" will be evident b) CGSB Qualification Listing Number | | | | | | |
| 6.3 | Warranty/Maintenance Instruction | \$ | \$ | \$ | \$ | \$ |

ESTIMATED TOTAL: \$ _____
(Applicable taxes extra)

1.2 Remanufactured Toner Cartridge - Benchmark Testing - Standard: CAN/CGSB-53.148-2017

1.2.1 Lexmark T650H21A

Test Requirements: Pricing for these tests will be based on the testing of one (1) cartridge **NOT** two (2).

Note: Estimated quantities represent single cartridges not sets of two. Therefore, if the estimated quantity reads 20 then this means 20 cartridges **NOT** 20 sets of two (2) cartridges (or 40 in total).

Test Requirements:

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | <u>OPTION YEAR 1</u> Unit Price | <u>OPTION YEAR 2</u> Unit Price |
|----------------------------------|--|---|--|--|--|--|
| | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award |
| Performance Requirements: | | | | | | |
| 7.2.6 | Density of printed images | | | | | |
| 7.2.7 | Yield | | | | | |
| 7.2.7.2c | Density – at defined, partially depleted toner level | | | | | |
| | | | | | | |

ESTIMATED TOTAL:\$ _____
Applicable taxes extra)

1.2.2 Lexmark 64035HA

Test Requirements: Pricing for this test will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | OPTION YEAR 1 Unit Price | OPTION YEAR 2 Unit Price |
|----------------------------------|--|---|--|--|--|--|
| | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contra | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract | Contract Award To 5 years after Contra |
| Performance Requirements: | | | | | | |
| 7.2.6 | Density of printed images | | | | | |
| 7.2.7 | Yield | | | | | |
| 7.2.7.2c | Density – at defined, partially depleted toner level | | | | | |
| | | | | | | |

ESTIMATED TOTAL: \$ _____
 (Applicable Sales Tax extra)

1.2.3 HP CC364X

Test Requirements: Pricing for this test will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | OPTION YEAR 1 Unit Price | OPTION YEAR 2 Unit Price |
|----------------------------------|--|---|--|--|--|--|
| | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contra | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract | Contract Award To 5 years after Contra |
| Performance Requirements: | | | | | | |
| 7.2.6 | Density of printed images | | | | | |
| 7.2.7 | Yield | | | | | |
| 7.2.7.2c | Density – at defined, partially depleted toner level | | | | | |
| | | | | | | |

ESTIMATED TOTAL: \$ _____
 (Applicable taxes extra,

1.2.4 HP Q5945A

Test Requirements: Pricing for this test will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | OPTION YEAR 1 Unit Price | OPTION YEAR 2 Unit Price |
|----------------------------------|--|---|--|--|--|--|
| | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award |
| Performance Requirements: | | | | | | |
| 7.2.6 | Density of printed images | | | | | |
| 7.2.7 | Yield | | | | | |
| 7.2.7.2c | Density – at defined, partially depleted toner level | | | | | |

ESTIMATED TOTAL: \$ _____
(Applicable taxes extra)

TOTAL ESTIMATED COST TO A LIMITATION OF EXPENDITURE 1.1.1, 1.1.2, 1.1.3, 1.1.4, 1.2.1, 1.2.2, 1.2.3 and 1.2.4: \$ _____
(Applicable taxes extra)

With the exception of the firm rate(s) and price(s), the amounts shown in the various items specified above are estimates only. Minor changes to these estimates will be accepted for billing purposes as the Work proceeds, provided that these changes have the prior approval of the Technical Authority, and provided that the estimated cost does not exceed the aforementioned Limitation of Expenditure

2.1 FIRELINE WORKWEAR FOR WILDLAND FIREFIGHTERS:

Test Requirements: Standard: CAN/CGSB-155.22 - 2014

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | OPTION YEAR 1 Unit Price | OPTION YEAR 2 Unit Price |
|--|---|---|--|--|--|--|
| | | Contract Award To 1 year after contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award |
| Detailed Requirements: (Textile Fabric) | | | | | | |
| 5.1.1 | Flame Resistance (as received) | \$ | \$ | \$ | \$ | \$ |
| 5.1.1 | Flame Resistance (after 50 wash/dry cycles) | \$ | \$ | \$ | \$ | \$ |
| 5.1.1 | Flame Resistance (after 5 dry clean cycles) | \$ | \$ | \$ | \$ | \$ |
| 5.1.2 | Radiant Protection (after 5 wash/dry cycles) | \$ | \$ | \$ | \$ | \$ |
| 5.1.2 | Radiant Protection (after 5 dry clean cycles) | \$ | \$ | \$ | \$ | \$ |
| 5.1.3 | Heat Resistance | \$ | \$ | \$ | \$ | \$ |
| 5.1.4 | Thermal Shrinkage Resistance | \$ | \$ | \$ | \$ | \$ |
| 5.1.5 | Tearing Strength | \$ | \$ | \$ | \$ | \$ |
| 5.1.6 | Thermal Protection | \$ | \$ | \$ | \$ | \$ |
| 5.2 | Thread | \$ | \$ | \$ | \$ | \$ |
| 5.3 | Hardware | \$ | \$ | \$ | \$ | \$ |
| Closure | | \$ | \$ | \$ | \$ | \$ |
| 5.4.1 | Flame Resistance (as received) | \$ | \$ | \$ | \$ | \$ |
| 5.4.1 | Flame Resistance (after 50 wash/dry cycles) | \$ | \$ | \$ | \$ | \$ |
| 5.4.1 | Flame Resistance (after 5 dry clean cycles) | \$ | \$ | \$ | \$ | \$ |
| 5.4.2 | Heat Resistance | \$ | \$ | \$ | \$ | \$ |
| Seams | | | | | | |
| 5.5.1 | Seam Strength | \$ | \$ | \$ | \$ | \$ |
| Visibility | | | | | | |
| 5.6.1 | Photometric Performance (CAN/CSA Z96-02) | \$ | \$ | \$ | \$ | \$ |
| 5.6.2 | Flame Resistance | \$ | \$ | \$ | \$ | \$ |
| 5.6.3 | Heat Resistance | \$ | \$ | \$ | \$ | \$ |
| Other: | | | | | | |
| 5.7 | Full Scale Radiant Test | \$ | \$ | \$ | \$ | \$ |
| Labelling: | | | | | | |
| 7.2 | Clearly legible (after 50 wash/dry cycles) | \$ | \$ | \$ | \$ | \$ |
| 7.3 | Clearly legible (after 5 dry clean cycles) | \$ | \$ | \$ | \$ | \$ |

ESTIMATED TOTAL COST: \$ _____
(Applicable taxes extra),

2.2 WORKWEAR FOR PROTECTION AGAINST HYDROCARBON FLASHFIRE AND OPTIONALLY STEAM AND HOT FLUIDS

Test Requirements: Standard: CAN/CGSB-155.20 – 2017

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | OPTION YEAR 1 Unit Price | OPTION YEAR 2 Unit Price |
|---------------------------|--|---|--|--|--|--|
| | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award |
| Flame Resistance | | | | | | |
| 6.1.1.1 | Flame Resistance for FR Workwear and FR Rainwear (as received) (Single layer/Multilayer) | \$ | \$ | \$ | \$ | \$ |
| 6.1.1.2 | Flame Resistance for FR Workwear (after 50 wash/dry cycles) (Single layer/Multilayer) | \$ | \$ | \$ | \$ | \$ |
| 6.1.1.2 | Flame Resistance for FR Workwear (after 5 dry clean cycles) (Single layer/Multilayer) | \$ | \$ | \$ | \$ | \$ |
| 6.1.1.3 | Flame Resistance for Multilayered cold weather insulation (after 25 wash/dry cycles) (Multilayered only) | \$ | \$ | \$ | \$ | \$ |
| 6.1.1.3 | Flame Resistance for Multilayered cold weather insulation (after 5 dry clean cycles) (Multilayered only) | \$ | \$ | \$ | \$ | \$ |
| 6.1.1.4 | Flame Resistance for FR rainwear fabrics (5 wash/dry cycles) (Single layer/Multilayer) | \$ | \$ | \$ | \$ | \$ |
| 6.1.2 | Flame Resistance for FR limited use (as received) | \$ | \$ | \$ | \$ | \$ |
| 6.1.3 | Exterior garment components (as received) | \$ | \$ | \$ | \$ | \$ |
| 6.1.3.1 | Flame Resistance for visibility trim (50 wash/dry cycles) | \$ | \$ | \$ | \$ | \$ |
| Thermal Protection | | | | | | |
| 6.2 | Thermal Protection for FR workwear | \$ | \$ | \$ | \$ | \$ |
| Heat Resistance | | | | | | |
| 6.3.1 | Material system components and other textile material for FR workwear (Single layer/Multilayer) | \$ | \$ | \$ | \$ | \$ |
| 6.3.2 | Material system components for use in FR limited use garments | \$ | \$ | \$ | \$ | \$ |

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | OPTION YEAR 1 Unit Price | OPTION YEAR 2 Unit Price |
|--|--|---|--|--|--|--|
| | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award |
| 6.3.3 | All hardware | \$ | \$ | \$ | \$ | \$ |
| 6.3.4 | Primary Closures | \$ | \$ | \$ | \$ | \$ |
| 6.3.5 | Thread | \$ | \$ | \$ | \$ | \$ |
| Thermal Shrinkage Resistance | | | | | | |
| 6.4.1 | Thermal Shrinkage Resistance for shell fabrics in FR workwear (Single layer/Multilayer) | \$ | \$ | \$ | \$ | \$ |
| 6.4.2 | Thermal Shrinkage resistance for material system components in FR limited use garments (Single layer/Multilayer) | \$ | \$ | \$ | \$ | \$ |
| Manikin Test(flash fire) | | | | | | |
| 6.5.1 | Material system composites in FR workwear, FR rainwear, or FR limited use garments (Single layer/Multilayer) | \$ | \$ | \$ | \$ | \$ |
| 6.5.2 | As-sold FR rainwear (Single | \$ | \$ | \$ | \$ | \$ |
| 6.5.3 | Primary closures on as-sold FR | \$ | \$ | \$ | \$ | \$ |
| Leak Resistance and Waterproofness | | | | | | |
| 6.6 | FR rainwear test specimens (fabrics and seams) (Single layer/Multilayer) | \$ | \$ | \$ | \$ | \$ |
| Steam and Hot Fluid Protection (Optional) | | | | | | |
| 6.7.1 | Material system composites for FR workwear, FR rainwear or FR limited use (according to 7.8.1) (Single | \$ | \$ | \$ | \$ | \$ |
| 6.7.2 | Material system composites for FR workwear, FR rainwear or FR limited use (according to 7.8.2) (Single layer/Multilayer) | \$ | \$ | \$ | \$ | \$ |
| 6.7.3 | Material system composites for FR workwear, FR rainwear or FR limited use (according to 7.9) (Single layer/Multilayer) | \$ | \$ | \$ | \$ | \$ |
| Legibility of labels | | | | | | |

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | <u>OPTION</u> <u>YEAR 1</u> Unit Price | <u>OPTION</u> <u>YEAR 2</u> Unit Price |
|-----------------------------|--|---|--|--|--|--|
| | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award |
| 6.8.1 | Labels for FR workwear of FR rainwear (50 wash/dry cycles) | \$ | \$ | \$ | \$ | \$ |
| 6.8.2 | Labels for FR workwear of FR rainwear (dry cleaned) | \$ | \$ | \$ | \$ | \$ |
| 6.8.3 | Labels for FR workwear of FR rainwear (50 wash/dry cycles or dry | \$ | \$ | \$ | \$ | \$ |

ESTIMATED TOTAL COST: \$_____
(Applicable taxes extra),

2.2 WORKWEAR FOR PROTECTION AGAINST HYDROCARBON FLASHFIRE AND OPTIONALLY STEAM AND HOT FLUIDS - CONTINUED

Test Requirements: Standard: CAN/CGSB-155.20 – 2017

TOTAL ESTIMATED COST TO A LIMITATION OF EXPENDITURE 2.1, 2.2: \$_____
(Applicable taxes extra)

With the exception of the firm rate(s) and price(s), the amounts shown in the various items specified above are estimates only. Minor changes to these estimates will be accepted for billing purposes as the Work proceeds, provided that these changes have the prior approval of the Technical Authority, and provided that the estimated cost does not exceed the aforementioned Limitation of Expenditure.

Service Group 3 : Construction Products - Contracts #5

3.1 POLYETHYLENE VAPOUR BARRIER:

The Contractor will be paid a firm all-inclusive unit price per test, inclusive of overhead and profit, as follows for work performed in accordance with the Contract and in section 4.1 below. Customs duties are included and applicable taxes are extra, if applicable.

Test Requirements: Standard: CAN/CGSB - 51.34 - M86

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | OPTION YEAR 1 Unit Price | OPTION YEAR 2 Unit Price |
|---------------------------------|--|---|--|--|--|--|
| | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award |
| General Requirements: | | | | | | |
| 4.1 | Appearance | \$ | \$ | \$ | \$ | \$ |
| 4.2 | Blocking | \$ | \$ | \$ | \$ | \$ |
| 4.3 | Integrity | \$ | \$ | \$ | \$ | \$ |
| 4.4 | Thermal Stability | | | | | |
| Performance Components: | | | | | | |
| 5.1 | Sheet length and width | \$ | \$ | \$ | \$ | \$ |
| 5.2 | Resin Properties | \$ | \$ | \$ | \$ | \$ |
| 5.3 | Tensile Strength and Elongation | \$ | \$ | \$ | \$ | \$ |
| 5.4 | Water Vapour Permeance | \$ | \$ | \$ | \$ | \$ |
| 5.5 | Thickness | \$ | \$ | \$ | \$ | \$ |
| 5.6 | Impact strength | \$ | \$ | \$ | \$ | \$ |
| 5.7 | Oxidative induction time | \$ | \$ | \$ | \$ | \$ |
| 5.8 | Outdoor weathering resistance | \$ | \$ | \$ | \$ | \$ |
| Preparation for Delivery | | | | | | |
| 6.1 | Marking of film | \$ | \$ | \$ | \$ | \$ |
| 6.2 | Packing and Packaging | \$ | \$ | \$ | \$ | \$ |
| 6.3 | Labelling | \$ | \$ | \$ | \$ | \$ |
| | Labelling requirements including the following: 1. CGSB Certification Mark 2. CGSB Certification Listing Number 3. CGSB Standard Number | | | | | |

ESTIMATED TOTAL: \$ _____

Service Group 3 : Construction Products - Contracts #5

(Applicable taxes extra)

TOTAL ESTIMATED COST TO A LIMITATION OF EXPENDITURE 3.1 \$

: _____

(Applicable taxes extra)

With the exception of the firm rate(s) and price(s), the amounts shown in the various items specified above are estimates only. Minor changes to these estimates will be accepted for billing purposes as the Work proceeds, provided that these changes have the prior approval of the Technical Authority, and provided that the estimated cost does not exceed the aforementioned Limitation of Expenditure.

Service Group 4 : Disposable Garments - Surgical Rubber Gloves: Contracts #6 & 7

4.1 SINGLE USE MEDICAL EXAMINATION GLOVES:

The Contractor will be paid a firm all-inclusive unit price per test, inclusive of overhead and profit, as follows for work performed in accordance with the Contract and in sections 4.1, 4.2, and 4.3 below. Customs duties are included and applicable taxes are extra. **Test Requirements: Standard: ISO 11193-1:2008**

| Paragraph of Standard | Test Description | Inspection Level | A Q L | YEAR 1 | YEAR 2 | YEAR 3 | OPTION YEAR 1 | OPTION YEAR 2 |
|---------------------------|--|------------------|-------|---|--|--|--|--|
| | | | | Unit Price | Unit Price | Unit Price | Unit Price | Unit Price |
| | | | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award |
| Requirements | | | | | | | | |
| 6.1 | Dimensions ¹ | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| 6.2 | Watertightness | G-1 | 2.5 | \$ | \$ | \$ | \$ | \$ |
| 6.3.2 | Tensile Properties – Force at break before accelerated ageing ¹ | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| | Tensile Properties – Elongation at break before accelerated ageing ¹ | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| 6.3.3 | Tensile Properties – Force at break after accelerated ageing ¹ | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| | Tensile Properties – Elongation at break after accelerated ageing ¹ | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| Marking | | | | | | | | |
| 8.2. | Unit Package, | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| 8.2.1 | Sterile Package | S-2 | 4.0 | | | | | |
| 8.2.2 | Non-Sterile Package | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| 8.3 | Multi-Unit Package | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| Other Requirements | | | | | | | | |
| | Residual powder on powder free gloves ³ (Test method - ASTM D 6124) | | | \$ | \$ | \$ | \$ | \$ |
| | Counting number of gloves in a package | | | \$ | \$ | \$ | \$ | \$ |
| | Other Labelling Requirements: 1. CGSB Listing Number 2. CGSB Certification Mark 3. Program Participant Address 4. Storage Instructions (as per program manual) | | | \$ | \$ | \$ | \$ | \$ |

¹Note: Pricing for this test is based on the testing of 6 specimens (6 specimens = 1 unit).

²Note: Pricing for this test is based on the testing of 50 specimens (50 specimens = 1 unit).

³Note: Pricing for this test is based on the testing of 5 specimens (5 specimens = 1 unit).

ESTIMATED TOTAL: \$ _____
(Applicable taxes extra)

4.2 SINGLE USE STERILE SURGICAL RUBBER GLOVES

Test Requirements: Standard: ISO 10282:2014:

| Paragraph of Standard | Test Description (if applicable) | Inspection Level | A Q L | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | OPTION YEAR 1 Unit Price | OPTION YEAR 2 Unit Price |
|---------------------------------|--|------------------|-------|---|--|--|--|--|
| | | | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award |
| Performance Requirements | | | | | | | | |
| 6.1 | Dimensions ¹ | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| 6.2 | Watertightness | G-1 | 2.5 | \$ | \$ | \$ | \$ | \$ |
| 6.3.2 | Tensile Properties – Force at break before accelerated ageing ¹ | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| | Tensile Properties – Elongation at break before accelerated ageing ¹ | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| 6.3.3 | Tensile Properties – Force at break after accelerated ageing ¹ | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| | Tensile Properties – Elongation at break after accelerated ageing ¹ | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| 6.3.4 | Force required to produce 300% elongation ¹ | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| Marking | | | | | | | | |
| 8.1 | General | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| 8.1.2 | Marking – Unit Package, Non-Sterile Package | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| 8.2 | Inner Package | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| 8.3 | Unit Package | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| 8.4 | Multi-Unit Package | S-2 | 4.0 | \$ | \$ | \$ | \$ | \$ |
| Other Requirements | | | | | | | | |
| | Residual powder on powder free gloves ³ (Test method - ISO 21171:2006) | | | \$ | \$ | \$ | \$ | \$ |
| | Counting number of gloves in a package | | | \$ | \$ | \$ | \$ | \$ |
| | Other Labelling Requirements: 1. CGSB Listing Number 2. CGSB Certification Mark 3. Program Participant Address 4. Storage Instructions (as per program manual) | | | \$ | \$ | \$ | \$ | \$ |

¹Note: Pricing for this test is based on the testing of 6 specimens (6 specimens = 1 unit).

²Note: Pricing for this test is based on the testing of 50 specimens (50 specimens = 1 unit).

³Note: Pricing for this test is based on the testing of 6 specimens (6 specimens = 1 unit).

ESTIMATED TOTAL: \$ _____

(Applicable taxes extra)

4.3 SINGLE USE MEDICAL EXAMINATION GLOVES
Test Requirements: Standard: ASTM D5250- 06 (2011)

| Paragraph of Standard | Test Description (if applicable) | Inspection Level | YEAR 1 Unit Price | YEAR 2 Unit Price | YEAR 3 Unit Price | OPTION YEAR 1 Unit Price | OPTION YEAR 2 Unit Price | |
|--------------------------------------|--|------------------|---|--|--|--|--|--|
| | | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contract award | |
| Performance Requirements | | | | | | | | |
| 7.4 | Physical Dimensions | S-2 | \$ | \$ | \$ | \$ | \$ | |
| 7.3 | Freedom from holes | G-1 | \$ | \$ | \$ | \$ | \$ | |
| 7.5.1 | Tensile Properties – Force at break before accelerated ageing | S-2 | \$ | \$ | \$ | \$ | \$ | |
| | Tensile Properties – Elongation at break before accelerated ageing | S-2 | \$ | \$ | \$ | \$ | \$ | |
| 7.5.1 | Tensile Properties – Force at break after accelerated ageing | S-2 | \$ | \$ | \$ | \$ | \$ | |
| | Tensile Properties – Elongation at break after accelerated ageing | S-2 | \$ | \$ | \$ | \$ | \$ | |
| 7.5.1 | Force required to produce 300% | S-2 | \$ | \$ | \$ | \$ | \$ | |
| Packaging and Package Marking | | | | | | | | |
| | | S-2 | \$ | \$ | \$ | \$ | \$ | |
| 9.1 | Sterile Packaging | | | | | | | |
| 9.2 | Non-Sterile and Bulk Packaging | S-2 | \$ | \$ | \$ | \$ | \$ | |
| 9.3 | Package Marking | S-2 | \$ | \$ | \$ | \$ | \$ | |
| Other Requirements | | | | | | | | |
| | Residual powder on powder free gloves ³ (Test method - ASTM D6124) | | \$ | \$ | \$ | \$ | \$ | |
| | Counting number of gloves in a | | \$ | \$ | \$ | \$ | \$ | |
| | Other Labelling Requirements: 1. CGSB Listing Number 2. CGSB Certification Mark 3. Program Participant Address 4. Storage Instructions (as per | | \$ | \$ | \$ | \$ | \$ | |

¹Note: Pricing for this test is based on the testing of 6 specimens (6 specimens = 1 unit).

²Note: Pricing for this test is based on the testing of 50 specimens (50 specimens = 1 unit).

³Note: Pricing for this test is based on the testing of 6 specimens (6 specimens = 1 unit).

ESTIMATED TOTAL: \$ _____
(Applicable taxes extra)

4.3 SINGLE USE MEDICAL EXAMINATION GLOVES

Test Requirements: Standard: ASTM D5250- 06 (2011)

TOTAL ESTIMATED COST TO A LIMITATION OF EXPENDITURE 4.1, 4.2 and 4.3: \$ _____
(Applicable taxes extra)

With the exception of the firm rate(s) and price(s), the amounts shown in the various items specified above are estimates only. Minor changes to these estimates will be accepted for billing purposes as the Work proceeds, provided that these changes have the prior approval of the Technical Authority, and provided that the estimated cost does not exceed the aforementioned Limitation of Expenditure.

**ANNEX C
TASK AUTHORIZATION FORM**

PWGSC FILE NO.: _____ CONTRACT SERIAL NO.: _____

 TASK NO.: _____ AMENDMENT NO.: _____

TITLE:

REASON FOR AMENDMENT, IF APPLICABLE:

1.0 **DESCRIPTION OF THE WORK:** As follows _____ See attached _____

Deliverables : As follows _____ See attached _____

Delivery Date(s) :

2. COST BREAKDOWN

| Section | Standard | Firm Unit Price per Standards/Tests | Estimated Quantity | Estimated Amount |
|------------------------------|----------|---|-----------------------|---------------------|
| | | | | |
| | | | | |
| | | | | |
| Total Estimated Cost: | | | | \$ |

TOTAL ESTIMATED COST: \$ _____
(GST/HST extra, as applicable)

3. BASIS OF PAYMENT :

____ Firm Price \$ _____ (GST/HST extra)

4. METHOD OF PAYMENT :

____ Single payment

5.0 APPROVALS:

| | | |
|-----------------|---|----------------|
| APPROVED: _____ | _____ | |
| _____ | Technical Authority | Signature Date |
| APPROVED: _____ | _____ | |
| _____ | (if required) Finance/Administration (client) | Signature Date |
| APPROVED: _____ | _____ | |
| _____ | PWGSC Contracting Authority | Signature Date |

ATTACHMENT 1

CERTIFICATIONS PRECEDENT TO CONTRACT AWARD

1. Former Public Servant - Competitive Requirements

Contracts with former public servants (FPS) in receipt of a pension or of a lump sum payment must bear the closest public scrutiny, and reflect fairness in the spending of public funds. In order to comply with Treasury Board policies and directives on contracts with FPS, bidders must provide the information required below.

Definitions

For the purposes of this clause, "former public servant" is any former member of a department as defined in the Financial Administration Act, R.S., 1985, c. F-11, a former member of the Canadian Armed Forces or a former member of the Royal Canadian Mounted Police. A former public servant may be:

- a. an individual;
- b. an individual who has incorporated;
- c. a partnership made of former public servants; or
- d. a sole proprietorship or entity where the affected individual has a controlling or major interest in the entity.

"lump sum payment period" means the period measured in weeks of salary, for which payment has been made to facilitate the transition to retirement or to other employment as a result of the implementation of various programs to reduce the size of the Public Service. The lump sum payment period does not include the period of severance pay, which is measured in a like manner.

"pension" means, a pension or annual allowance paid under the Public Service Superannuation Act (PSSA), R.S., 1985, c.P-36, and any increases paid pursuant to the Supplementary Retirement Benefits Act, R.S., 1985, c.S-24 as it affects the PSSA. It does not include pensions payable pursuant to the Canadian Forces Superannuation Act, R.S., 1985, c.C-17, the Defence Services Pension Continuation Act, 1970, c.D-3, the Royal Canadian Mounted Police Pension Continuation Act, 1970, c.R-10, and the Royal Canadian Mounted Police Superannuation Act, R.S., 1985, c.R-11, the Members of Parliament Retiring Allowances Act, R.S., 1985, c.M-5, and that portion of pension payable to the Canada Pension Plan Act, R.S., 1985, c.C-8.

Former Public Servant in Receipt of a Pension

As per the above definitions, is the Bidder a FPS in receipt of a pension? Yes () No ()

If so, the Bidder must provide the following information, for all FPS in receipt of a pension, as applicable:

- a. name of former public servant;
- b. date of termination of employment or retirement from the Public Service.

By providing this information, Bidders agree that the successful Bidder's status, with respect to being a former public servant in receipt of a pension, will be reported on departmental websites as part of the published proactive disclosure reports in accordance with Contracting Policy Notice: 2012-2 and the Guidelines on the Proactive Disclosure of Contracts.

Work Force Reduction Program

Is the Bidder a FPS who received a lump sum payment pursuant to the terms of a work force reduction program? Yes () No ()

If so, the Bidder must provide the following information:

- a. name of former public servant;
- b. conditions of the lump sum payment incentive;
- c. date of termination of employment;
- d. amount of lump sum payment;
- e. rate of pay on which lump sum payment is based;
- f. period of lump sum payment including start date, end date and number of weeks;
- g. number and amount (professional fees) of other contracts subject to the restrictions of a work force reduction program.

For all contracts awarded during the lump sum payment period, the total amount of fees that may be paid to a FPS who received a lump sum payment is \$5,000, including the Goods and Services Tax or Harmonized Sales Tax.

Certification

By submitting a bid, the Bidder certifies that the information submitted by the Bidder in response to the above requirements is accurate and complete.

2. Canadian Content Certification

This procurement is limited to Canadian services.

The Bidder certifies that:

- () the service(s) offered is(are) a Canadian service as defined in paragraph 2 of clause A3050T.

2.1 SACC Manual clause A3050T (2010-01-11), Canadian Content Definition

3. Status and Availability of Resources

The Bidder certifies that, should it be awarded a contract as a result of the bid solicitation, every individual proposed in its bid will be available to perform the Work as required by Canada's representatives and at the time specified in the bid solicitation or agreed to with Canada's representatives. If for reasons beyond its control, the Bidder is unable to provide the services of an individual named in its bid, the Bidder may propose a substitute with similar qualifications and experience. The Bidder must advise the Contracting Authority of the reason for the substitution and provide the name, qualifications and experience of the proposed replacement. For the purposes of this clause, only the following reasons will be considered as beyond the control of the Bidder: death, sickness, maternity and parental leave, retirement, resignation, dismissal for cause or termination of an agreement for default.

If the Bidder has proposed any individual who is not an employee of the Bidder, the Bidder certifies that it has the permission from that individual to propose his/her services in relation to the Work to be performed and to submit his/her résumé to Canada. The Bidder must, upon request from the Contracting Authority, provide a written confirmation, signed by the individual, of the permission given to the Bidder and of his/her availability. Failure to comply with the request may result in the bid being declared non-responsive.

4. Education and Experience

The Bidder certifies that all the information provided in the résumés and supporting material submitted with its bid, particularly the information pertaining to education, achievements, experience and work history, has been verified by the Bidder to be true and accurate. Furthermore, the Bidder warrants that every individual proposed by the Bidder for the requirement is capable of performing the Work described in the resulting contract.

5. Language Capability

The Bidder certifies that it has the language capability required to perform the Work, as stipulated in the Statement of Work.

ATTACHMENT 2

FINANCIAL BID PRESENTATION SHEET FOR SERVICE GROUP 1 - RE-MANUFACTURED TONER CARTRIDGES

1. Test Requirements – Lexmark T650H21A:

Standard: CAN/CGSB-53.148-2017

Pricing for these tests will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | # OF UNITS | YEAR 2 Unit Price | # OF UNITS | YEAR 3 Unit Price | # OF UNITS | OPTION YEAR 1 Unit Price | # OF UNITS | OPTION YEAR 2 Unit Price | # OF UNITS | Extended Total Per Test |
|--|--|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | Contract Award To 1 year after Contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| 5.5.2 | Print Quality | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Blasting | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Streaks | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Background Scatter | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Repetitive Voids | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.3 | Density of printed images | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Initial | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | At defined, partially depleted toner level | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.4 | Smudging | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.5 | Adhesion | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.6 | Yield | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| Other Requirements: | | | | | | | | | | | | |
| 6.1 | Packaging | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 6.2 | Labelling Identification | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| Other Marking Requirements: a) Statement "remanufactured Toner Cartridge" will be evident b) CGSB Qualification Listing Number | | | | | | | | | | | | |
| 6.3 | Warranty/Maintenance Instruction | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |

TOTAL ESTIMATED COST: \$ _____
(Applicable taxes extra)

2. Test Requirements – Lexmark64035HA
Standard: CAN/CGSB-53.148-2017

Pricing for these tests will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | # OF UNITS | YEAR 2 Unit Price | # OF UNITS | YEAR 3 Unit Price | # OF UNITS | OPTION YEAR 1 Unit Price | # OF UNITS | OPTION YEAR 2 Unit Price | # OF UNITS | Extended Total Per Test |
|--|--|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | Contract Award To 1 year after Contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| Performance Requirements: | | | | | | | | | | | | |
| 5.5.2 | Print Quality | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Blasting | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Streaks | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Background Scatter | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Repetitive Voids | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.3 | Density of printed images | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Initial | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | At defined, partially depleted toner level | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.4 | Smudging | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.5 | Adhesion | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.6 | Yield | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| Other Requirements: | | | | | | | | | | | | |
| 6.1 | Packaging | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 6.2 | Labelling Identification | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| Other Marking Requirements: a) Statement "remanufactured Toner Cartridge" will be evident b) CGSB Qualification Listing Number | | | | | | | | | | | | |
| 6.3 | Warranty/Maintenance Instruction | | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |

\$

TOTAL ESTIMATED COST: \$ _____
(Applicable taxes extra)

3. **Test Requirements – CC364X**

Standard: CAN/CGSB-53.148-2017

Pricing for these tests will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | # OF UNITS | YEAR 2 Unit Price | # OF UNITS | YEAR 3 Unit Price | # OF UNITS | OPTION YEAR 1 Unit Price | # OF UNITS | OPTION YEAR 2 Unit Price | # OF UNITS | Extended Total Per Test |
|---|--|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | Contract Award To 1 year after Contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| Performance Requirements: | | | | | | | | | | | | |
| 5.5.2 | Print Quality | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Blasting | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Streaks | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Background Scatter | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Repetitive Voids | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.3 | Density of printed images | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Initial | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | At defined, partially depleted toner level | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.4 | Smudging | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.5 | Adhesion | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.6 | Yield | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| Other Requirements: | | | | | | | | | | | | |
| 6.1 | Packaging | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 6.2 | Labelling Identification | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| Other Marking Requirements: | | | | | | | | | | | | |
| a) Statement "Remanufactured Toner Cartridge" will be evident | | | | | | | | | | | | |
| b) CGSB Qualification Listing Number | | | | | | | | | | | | |
| 6.3 | Warranty/Maintenance Instruction | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |

TOTAL ESTIMATED COST: \$ _____
(Applicable taxes extra)

4. Test Requirements – HP Q5945A:

Standard: CAN/CGSB-53.148-2017

Pricing for these tests will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | # OF UNITS | YEAR 2 Unit Price | # OF UNITS | YEAR 3 Unit Price | # OF UNITS | OPTION YEAR 1 Unit Price | # OF UNITS | OPTION YEAR 2 Unit Price | # OF UNITS | Extended Total Per Test |
|--|--|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | Contract Award To 1 year after Contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| Performance Requirements: | | | | | | | | | | | | |
| 5.5.2 | Print Quality | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Blasting | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Streaks | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Background Scatter | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Repetitive Voids | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.3 | Density of printed images | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | Initial | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| | At defined, partially depleted toner level | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.4 | Smudging | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.5 | Adhesion | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 5.5.6 | Yield | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| Other Requirements: | | | | | | | | | | | | |
| 6.1 | Packaging | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| 6.2 | Labelling Identification | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |
| Other Marking Requirements: a) Statement "remanufactured Toner Cartridge" will be evident b) CGSB Qualification Listing Number | | | | | | | | \$ | | \$ | | \$ |
| 6.3 | Warranty/Maintenance Instruction | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ | 20 | \$ |

TOTAL ESTIMATED COST: \$ _____
(Applicable taxes extra)

Remanufactured Toner Cartridge - Benchmark Testing

1. Test Requirements – Lexmark T650H21A:

Standard: CAN/CGSB-53.148-2017

Pricing for these tests will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | # OF UNITS | YEAR 2 Unit Price | # OF UNITS | YEAR 3 Unit Price | # OF UNITS | OPTION YEAR 1 Unit Price | # OF UNITS | OPTION YEAR 2 Unit Price | # OF UNITS | Extended Total Per Test |
|----------------------------------|--|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | Contract Award To 1 year after Contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| Performance Requirements: | | | | | | | | | | | | |
| 7.2.6 | Density of printed images | | 10 | | 10 | | 10 | | 10 | | 10 | |
| 7.2.7 | Yield | | 10 | | 10 | | 10 | | 10 | | 10 | |
| 7.2.7.2c | Density – at defined, partially depleted toner level | | 10 | | 10 | | 10 | | 10 | | 10 | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

TOTAL ESTIMATED COST: \$ _____
(Applicable taxes extra)

2. Test Requirements – Lexmark654035HA

Standard: CAN/CGSB-53.148-2017

Pricing for these tests will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | # OF UNITS | YEAR 2 Unit Price | # OF UNITS | YEAR 3 Unit Price | # OF UNITS | OPTION YEAR 1 Unit Price | # OF UNITS | OPTION YEAR 2 Unit Price | # OF UNITS | Extended Total Per Test |
|----------------------------------|--|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | Contract Award To 1 year after Contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| Performance Requirements: | | | | | | | | | | | | |
| 7.2.6 | Density of printed images | | 10 | | 10 | | 10 | | 10 | | 10 | |
| 7.2.7 | Yield | | 10 | | 10 | | 10 | | 10 | | 10 | |
| 7.2.7.2c | Density – at defined, partially depleted toner level | | 10 | | 10 | | 10 | | 10 | | 10 | |
| | | | | | | | | | | | | |

TOTAL ESTIMATED COST: \$ _____

(Applicable taxes extra)

3. Test Requirements – HP CC364X:

Standard: CAN/CGSB-53.148-2017

Pricing for these tests will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | # OF UNITS | YEAR 2 Unit Price | # OF UNITS | YEAR 3 Unit Price | # OF UNITS | OPTION YEAR 1 Unit Price | # OF UNITS | OPTION YEAR 2 Unit Price | # OF UNITS | Extended Total Per Test |
|----------------------------------|--|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | Contract Award To 1 year after Contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| Performance Requirements: | | | | | | | | | | | | |
| 7.2.6 | Density of printed images | | 10 | | 10 | | 10 | | 10 | | 10 | |
| 7.2.7 | Yield | | 10 | | 10 | | 10 | | 10 | | 10 | |
| 7.2.7.2c | Density – at defined, partially depleted toner level | | 10 | | 10 | | 10 | | 10 | | 10 | |
| | | | | | | | | | | | | |

TOTAL ESTIMATED COST: \$ _____
(Applicable taxes extra)

4. Test Requirements – HP Q5945A:

Standard: CAN/CGSB-53.148-2017

Pricing for these tests will be based on the testing of one (1) cartridge **NOT** two (2).

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | # OF UNITS | YEAR 2 Unit Price | # OF UNITS | YEAR 3 Unit Price | # OF UNITS | OPTION YEAR 1 Unit Price | # OF UNITS | OPTION YEAR 2 Unit Price | # OF UNITS | Extended Total Per Test |
|----------------------------------|--|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | Contract Award To 1 year after Contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| Performance Requirements: | | | | | | | | | | | | |
| 7.2.6 | Density of printed images | | 10 | | 10 | | 10 | | 10 | | 10 | |
| 7.2.7 | Yield | | 10 | | 10 | | 10 | | 10 | | 10 | |
| 7.2.7.2c | Density – at defined, partially depleted toner | | 10 | | 10 | | 10 | | 10 | | 10 | |
| | | | | | | | | | | | | |

TOTAL ESTIMATED COST: \$ _____

(Applicable taxes extra)

ATTACHMENT 3
FINANCIAL BID PRESENTATION SHEETS FOR SERVICE GROUP 2 -
PROTECTIVE CLOTHING

1. FIRELINE WORKWEAR FOR WILDLAND FIREFIGHTERS

Standard: CAN/CGSB - 155.22-2014

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | # OF UNITS | YEAR 2 Unit Price | # OF UNITS | YEAR 3 Unit Price | # OF UNITS | OPTION YEAR 1 Unit Price | # OF UNITS | OPTION YEAR 2 Unit Price | # OF UNITS | Extended Total Per Test |
|--|---|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | Contract Award To 1 year after Contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| Detailed Requirements(textile fabric) | | | | | | | | | | | | |
| 5.1.1 | Flame Resistance (as received) | \$ | 5 | \$ | 5 | \$ | 6 | \$ | 6 | \$ | 7 | \$ |
| 5.1.1 | Flame Resistance (after 50 wash/dry cycles) | \$ | 5 | \$ | 5 | \$ | 6 | \$ | 6 | \$ | 7 | \$ |
| 5.1.1 | Flame Resistance (after 5 dry clean cycles) | \$ | 2 | \$ | 2 | \$ | 2 | \$ | 3 | \$ | 3 | \$ |
| 5.1.2 | Radiant Protection (after 5 wash/dry cycles) | \$ | 5 | \$ | 5 | \$ | 6 | \$ | 6 | \$ | 7 | \$ |
| 5.1.2 | Radiant Protection (after 5 dry clean cycles) | \$ | 2 | \$ | 2 | \$ | 2 | \$ | 3 | \$ | 3 | \$ |
| 5.1.3 | Heat Resistance | \$ | 5 | \$ | 5 | \$ | 6 | \$ | 6 | \$ | 7 | \$ |
| 5.1.4 | Thermal Shrinkage Resistance | \$ | 5 | \$ | 5 | \$ | 6 | \$ | 6 | \$ | 7 | \$ |
| 5.1.5 | Tearing Strength | \$ | 5 | \$ | 5 | \$ | 6 | \$ | 6 | \$ | 7 | \$ |
| 5.1.6 | Thermal Protection | \$ | 5 | \$ | 5 | \$ | 6 | \$ | 6 | \$ | 7 | \$ |
| 5.2 | Thread | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| 5.3 | Hardware | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| Closure | | | | | | | | | | | | |
| 5.4.1 | Flame Resistance (as received) | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| 5.4.1 | Flame Resistance (after 50 wash/dry cycles) | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| 5.4.1 | Flame Resistance (after 5 dry clean cycles) | \$ | 1 | \$ | 1 | \$ | 2 | \$ | 2 | \$ | 2 | \$ |
| 5.4.2 | Heat Resistance | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| Seams | | | | | | | | | | | | |
| 5.5.1 | Seam Strength | \$ | 33 | \$ | 33 | \$ | 33 | \$ | 33 | \$ | 33 | \$ |
| Visibility Trim | | | | | | | | | | | | |
| 5.6.1 | Photometric Performance (CAN/CSA Z96-02) | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| 5.6.2 | Flame Resistance | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| 5.6.3 | Heat Resistance | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |

| | | | | | | | | | | | | |
|------------------|--|----|---|----|---|----|---|----|---|----|---|----|
| Other | | | | | | | | | | | | |
| 5.7 | Full Scale Radiant Test(Optional) | \$ | 0 | \$ | 1 | \$ | 1 | \$ | 1 | \$ | 2 | \$ |
| Labelling | | | | | | | | | | | | |
| 7.2 | Clearly legible (after 50 wash/dry cycles) | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 4 | \$ | 4 | \$ |
| 7.3 | Clearly legible (after 5 dry clean cycles) | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 4 | \$ | 4 | \$ |

ESTIMATED TOTAL COST: \$ _____
(Applicable taxes extra)

3. WORKWEAR FOR PROTECTION AGAINST HYDROCARBON FLASH FIRE AND OPTIONALLY STEAM AND HOT FLUIDS

Standard: CAN/CGSB- 155.20 - 2017

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | # OF UNITS | YEAR 2 Unit Price | # OF UNITS | YEAR 3 Unit Price | # OF UNITS | OPTION YEAR 1 Unit Price | # OF UNITS | OPTION YEAR 2 Unit Price | # OF UNITS | Extended Total Per Test |
|--------------------------|--|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | Contract Award To 1 year after contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| Flame Resistance: | | | | | | | | | | | | |
| 6.1.1.1 | Flame Resistance for FR workwear and FR rainwear (as received) (Single layer/Multilayer) | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |
| 6.1.1.2 | Flame Resistance for FR workwear (after 50 wash/dry cycles) (Single layer/Multilayer) | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |
| 6.1.1.2 | Flame Resistance for FR workwear (after 5 dry clean cycles) (Single layer/Multilayer) | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |
| 6.1.1.3 | Flame Resistance for multilayer cold weather insulation (after 25 wash/dry cycles) Multilayer only | \$ | 1 | \$ | 1 | \$ | 2 | \$ | 2 | \$ | 2 | \$ |
| 6.1.1.3 | Flame Resistance for multilayer cold weather insulation (after 5 dry clean cycles) Multilayer only | \$ | 1 | \$ | 1 | \$ | 2 | \$ | 2 | \$ | 2 | \$ |
| 6.1.1.4 | Flame Resistance for FR rainwear fabrics (after 5 wash/dry cycles) (Single layer/Multilayer) | \$ | 0 | \$ | 1 | \$ | 2 | \$ | 2 | \$ | 2 | \$ |
| 6.1.2 | Flame Resistance for FR limited use garments (as received) | \$ | 0 | \$ | 0 | \$ | 0 | \$ | 1 | \$ | 1 | \$ |
| 6.1.3 | Exterior garment components (as received) | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | # OF UNITS | YEAR 2 Unit Price | # OF UNITS | YEAR 3 Unit Price | # OF UNITS | OPTION YEAR 1 Unit Price | # OF UNITS | OPTION YEAR 2 Unit Price | # OF UNITS | Extended Total Per Test |
|-------------------------------------|--|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | Contract Award To 1 year after contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| 6.1.3.1 | Flame Resistance for visibility trim (50 wash/dry cycles) | \$ | 2 | \$ | 2 | \$ | 2 | \$ | 2 | \$ | 2 | \$ |
| Thermal Protection | | | | | | | | | | | | |
| 6.2 | Thermal Protection for FR workwear and FR rainwear (single layer/Multilayered) | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |
| Heat Resistance | | | | | | | | | | | | |
| 6.3.1 | Material system components and other textile materials | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |
| 6.3.2 | Material system components for FR limited use garments | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |
| 6.3.3 | All hardware | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |
| 6.3.4 | Primary Closures | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |
| 6.3.5 | Thread | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |
| Thermal Shrinkage Resistance | | | | | | | | | | | | |
| 6.4.1 | Thermal Shrinkage Resistance for shell fabrics in FR workwear (Single/Multilayered) | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |
| 6.4.2 | Thermal Shrinkage Resistance for material system components in FR limited use garments (Single/Multilayered) | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |
| Manikin Test | | | | | | | | | | | | |
| 6.5.1 | Material system composites in FR workwear, FR rainwear, or limited use garments (Single/Multilayered) | \$ | 2 | \$ | 2 | \$ | 2 | \$ | 2 | \$ | 2 | \$ |
| 6.5.2 | As-sold FR rainwear (Single/Multilayered) | \$ | 0 | \$ | 1 | \$ | 2 | \$ | 2 | \$ | 2 | \$ |

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | # OF UNITS | YEAR 2 Unit Price | # OF UNITS | YEAR 3 Unit Price | # OF UNITS | OPTION YEAR 1 Unit Price | # OF UNITS | OPTION YEAR 2 Unit Price | # OF UNITS | Extended Total Per Test |
|--|--|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | Contract Award To 1 year after contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| 6.5.3 | Primary closures on as-sold FR rainwear | \$ | 2 | \$ | 2 | \$ | 2 | \$ | 2 | \$ | 2 | \$ |
| Leak Resistance and Waterproofness | | | | | | | | | | | | |
| 6.6 | FR rainwear test specimens (fabrics and seams) (Single layer/Multilayer) | \$ | 0 | \$ | 1 | \$ | 2 | \$ | 2 | \$ | 2 | \$ |
| Steam and Hot Fluid Protection (Optional) | | | | | | | | | | | | |
| 6.7.1 | Material system composites for FR workwear, FR rainwear or FR limited use (according to 7.8.1) (Single layer/Multilayer) | \$ | 0 | \$ | 1 | \$ | 2 | \$ | 2 | \$ | 2 | \$ |
| 6.7.2 | Material system composites for FR workwear, FR rainwear or FR limited use (according to 7.8.2) (Single layer/Multilayer) | \$ | 0 | \$ | 1 | \$ | 2 | \$ | 2 | \$ | 2 | \$ |
| 6.7.3 | Material system composites for FR workwear, FR rainwear or FR limited use (according to 7.9) (Single layer/Multilayer) | \$ | 0 | \$ | 1 | \$ | 2 | \$ | 2 | \$ | 2 | \$ |
| Legibility of labels | | | | | | | | | | | | |
| 6.8.1 | Labels for FR workwear of FR rainwear (50 wash/dry cycles) | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |
| 6.8.2 | Labels for FR workwear of FR rainwear (dry cleaned) | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |
| 6.8.3 | Labels for FR workwear of FR rainwear (50 wash/dry cycles or dry cleaned) | \$ | 4 | \$ | 4 | \$ | 6 | \$ | 6 | \$ | 6 | \$ |

TOTAL ESTIMATED COST: \$ _____
(Applicable taxes extra)

ATTACHMENT 4

FINANCIAL BID PRESENTATION SHEET FOR SERVICE GROUP 3

POLYETHYLENE VAPOUR BARRIER

Standard: CAN/CGSB - 51.34 - M86

| Paragraph of Standard | Test Description | YEAR 1 Unit Price | # OF UNITS | YEAR 2 Unit Price | # OF UNITS | YEAR 3 Unit Price | # OF UNITS | OPTION YEAR 1 Unit Price | # OF UNITS | OPTION YEAR 2 Unit Price | # OF UNITS | Extended Total Per Test |
|---------------------------------|--|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | Contract Award To 1 year after contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| General Requirements | | | | | | | | | | | | |
| 4.1 | Appearance | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| 4.2 | Blocking | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| 4.3 | Integrity | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| 4.4 | Thermal Stability | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| Performance Components | | | | | | | | | | | | |
| 5.1 | Sheet length and width | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| 5.2 | Resin Properties | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| 5.3 | Tensile Strength and Elongation | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| 5.4 | Water Vapour Permeance | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| 5.5 | Thickness | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| 5.6 | Impact strength | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| 5.7 | Oxidative induction time | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| 5.8 | Outdoor weathering resistance | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| Preparation for Delivery | | | | | | | | | | | | |
| 6.1 | Marking of film | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| 6.2 | Packing and Packaging | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| 6.3 | Labelling | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |
| | labelling requirements including the following: 1. CGSB Certification Mark 2. CGSB Certification Listing number 3. CGSB Standard Number | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ | 18 | \$ |

TOTAL ESTIMATED COST: \$ _____
(Applicable taxes extra)

ATTACHMENT 5

FINANCIAL BID PRESENTATION SHEET FOR SERVICE GROUP 4 - MEDICAL GLOVES

SINGLE USE MEDICAL EXAMINATION GLOVES

Standard: ISO 11193-1:2008

| Paragraph of Standard | Test Description | Inspection Level | A Q L | YEAR 1 | YEAR 2 | YEAR 3 | OPTION | OPTION | Extended | |
|---------------------------------|---|------------------|-------|---|--|--|--|--|----------|-------|
| | | | | Unit Price | Unit Price | Unit Price | YEAR 1 | YEAR 2 | | Total |
| | | | | Contract Award To 1 year after Contract award | Contract Award To 2 years after Contract award | Contract Award To 3 years after Contract award | Contract Award To 4 years after Contract award | Contract Award To 5 years after Contra | Per Test | |
| | | | | # OF UNITS | # OF UNITS | # OF UNITS | # OF UNITS | # OF UNITS | | |
| Performance Requirements | | | | | | | | | | |
| 6.1 | Dimensions ¹ | S-2 | 4.0 | \$ | 75 | \$ | 75 | \$ | 75 | \$ |
| 6.2 | Watertightness | G-1 | 2.5 | \$ | 75 | \$ | 75 | \$ | 75 | \$ |
| 6.3.2 | Tensile Properties – Force at break before accelerated ageing ¹ | S-2 | 4.0 | \$ | 75 | \$ | 75 | \$ | 75 | \$ |
| | Tensile Properties – Elongation at break before accelerated ageing ¹ | S-2 | 4.0 | \$ | 75 | \$ | 75 | \$ | 75 | \$ |
| 6.3.3 | Tensile Properties – Force at break after accelerated ageing ¹ | S-2 | 4.0 | \$ | 75 | \$ | 75 | \$ | 75 | \$ |
| | Tensile Properties – Elongation at break after accelerated ageing ¹ | S-2 | 4.0 | \$ | 75 | \$ | 75 | \$ | 75 | \$ |
| Marking | | | | | | | | | | |
| 8.2 | Unit Package | S-2 | 4.0 | \$ | 75 | \$ | 75 | \$ | 75 | \$ |
| 8.2.1 | Sterile Package | S-2 | 4.0 | \$ | 75 | \$ | 75 | \$ | 75 | \$ |
| 8.2.2 | Non-Sterile Package | S-2 | 4.0 | \$ | 75 | \$ | 75 | \$ | 75 | \$ |
| 8.3 | Multi-Unit Package | S-2 | 4.0 | \$ | 75 | \$ | 75 | \$ | 75 | \$ |
| Other Requirements | | | | | | | | | | |
| | Residual powder on powder free gloves ³ (Test method - ASTM D 6124) | | | \$ | 75 | \$ | 75 | \$ | 75 | \$ |
| | Counting number of gloves in a package | | | \$ | 75 | \$ | 75 | \$ | 75 | \$ |
| | Other Labelling Requirements: 1. CGSB Listing Number 2. CGSB Certification Mark 3. Program Participant Address 1. 4. Storage Instructions (as per | | | \$ | 75 | \$ | 75 | \$ | 75 | \$ |

ATTACHMENT 5

¹Note: Pricing for this test is based on the testing of 6 specimens (6 specimens = 1 unit).

²Note: Pricing for this test is based on the testing of 50 specimens (50 specimens = 1 unit).

³Note: Pricing for this test is based on the testing of 5 specimens (5 specimens = 1 unit).

TOTAL ESTIMATED COST: \$_____

(Applicable taxes extra)

SINGLE USE STERILE SURGICAL RUBBER GLOVES

Standard: ISO 10282:2014

| Paragraph of Standard | Test Description (if applicable) | Inspection Level | A Q L | YEAR 1 | | YEAR 2 | | YEAR 3 | | OPTION YEAR 1 | | OPTION YEAR 2 | | Extended Total Per Test |
|---------------------------------|--|------------------|-------|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | | | Unit Price | # OF UNITS | Unit Price | # OF UNITS | Unit Price | # OF UNITS | Unit Price | # OF UNITS | Unit Price | # OF UNITS | |
| | | | | Contract Award To 1 year after Contract award | | Contract Award To 2 years after Contract award | | Contract Award To 3 years after Contract award | | Contract Award To 4 years after Contract award | | Contract Award To 5 years after Contract award | | |
| Performance Requirements | | | | | | | | | | | | | | |
| 6.1 | Dimensions ¹ | S-2 | 4.0 | \$ | 0 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| 6.2 | Watertightness | G-1 | 2.5 | \$ | 0 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| 6.3.2 | Tensile Properties – Force at break before accelerated ageing ¹ | S-2 | 4.0 | \$ | 0 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| | Tensile Properties – Elongation at break before accelerated ageing ¹ | S-2 | 4.0 | \$ | 0 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| 6.3.3 | Tensile Properties – Force at break after accelerated ageing ¹ | S-2 | 4.0 | \$ | 0 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| | Tensile Properties – Elongation at break after accelerated ageing ¹ | S-2 | 4.0 | \$ | 0 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| 6.3.4 | Force required to produce 300% elongation ¹ | S-2 | 4.0 | \$ | 0 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| Marking | | | | | | | | | | | | | | |
| 8.1 | General | S-2 | 4.0 | \$ | 0 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| 8.2 | Inner Package | S-2 | 4.0 | \$ | 0 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| 8.3 | Unit Package | S-2 | 4.0 | \$ | 0 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| 8.4 | Multi-Unit Package | S-2 | 4.0 | \$ | 0 | \$ | 3 | \$ | 3 | \$ | 3 | \$ | 3 | \$ |
| Other Requirements | | | | | | | | | | | | | | |
| | Residual powder on powder free gloves ³ (Test method - ISO 21171:2006) | | | | | | 3 | | 3 | | 3 | | 3 | |
| | Counting number of gloves in a package | | | | | | 3 | | 3 | | 3 | | 3 | |
| | Other Labelling Requirements: 1. CGSB Listing Number 2. CGSB Certification Mark 3. Program Participant Address 4. Storage Instructions (as per program manual) | | | | | | 3 | | 3 | | 3 | | 3 | |

¹Note: Pricing for this test is based on the testing of 6 specimens (6 specimens = 1 unit).

²Note: Pricing for this test is based on the testing of 50 specimens (50 specimens = 1 unit).

³Note: Pricing for this test is based on the testing of 6 specimens (6 specimens = 1 unit).

TOTAL ESTIMATED COST: \$ _____
(Applicable taxes extra)

SINGLE USE MEDICAL EXAMINATION GLOVES

Standard: ASTM 5250-06 (2011)

| Paragraph of Standard | Test Description (if applicable) | Inspection Level | A Q L | YEAR 1 Unit Price | | YEAR 2 Unit Price | | YEAR 3 Unit Price | | OPTION YEAR 1 Unit Price | | OPTION YEAR 2 Unit Price | | Extended Total Per Test |
|--------------------------------------|--|------------------|-------|---|------------|--|------------|--|------------|--|------------|--|------------|-------------------------|
| | | | | Contract Award To 1 year after contract award | # OF UNITS | Contract Award To 2 years after Contract award | # OF UNITS | Contract Award To 3 years after Contract award | # OF UNITS | Contract Award To 4 years after Contract award | # OF UNITS | Contract Award To 5 years after Contract award | # OF UNITS | |
| Performance Requirements | | | | | | | | | | | | | | |
| 7.4.1 | Dimensions | S-2 | 4.0 | \$ | 6 | \$ | 6 | \$ | 9 | \$ | 12 | \$ | 12 | \$ |
| 7.3 | Freedom from holes | G-1 | 2.5 | \$ | 6 | \$ | 6 | \$ | 9 | \$ | 12 | \$ | 12 | \$ |
| 7.5.1 | Tensile Properties – Force at break before accelerated ageing | S-2 | 4.0 | \$ | 6 | \$ | 6 | \$ | 9 | \$ | 12 | \$ | 12 | \$ |
| | Tensile Properties – Elongation at break before accelerated ageing | S-2 | 4.0 | \$ | 6 | \$ | 6 | \$ | 9 | \$ | 12 | \$ | 12 | \$ |
| 7.5.1 | Tensile Properties – Force at break after accelerated ageing | S-2 | 4.0 | \$ | 6 | \$ | 6 | \$ | 9 | \$ | 12 | \$ | 12 | \$ |
| | Tensile Properties – Elongation at break after accelerated ageing | S-2 | 4.0 | \$ | 6 | \$ | 6 | \$ | 9 | \$ | 12 | \$ | 12 | \$ |
| 7.5.1 | Force required to produce 300% elongation | S-2 | 4.0 | \$ | 6 | \$ | 6 | \$ | 9 | \$ | 12 | \$ | 12 | \$ |
| Packaging and Package Marking | | | | | | | | | | | | | | |
| 9.1 | Sterile Packaging | S-2 | 4.0 | \$ | 6 | \$ | 6 | \$ | 9 | \$ | 12 | \$ | 12 | \$ |
| 9.2 | Non-Sterile and Bulk Packaging | S-2 | 4.0 | \$ | 6 | \$ | 6 | \$ | 9 | \$ | 12 | \$ | 12 | \$ |
| 9.3 | Package Marking | S-2 | 4.0 | \$ | 6 | \$ | 6 | \$ | 9 | \$ | 12 | \$ | 12 | \$ |
| Other Requirements | | | | | | | | | | | | | | |
| | Residual powder on powder free gloves ³ (Test method - ASTM D6124) | S-2 | 4.0 | \$ | 6 | | 6 | | 9 | | 12 | | 12 | \$ |
| | Counting number of gloves in a package | S-2 | 4.0 | \$ | 6 | | 6 | | 9 | | 12 | | 12 | \$ |
| | Other Labelling Requirements: 1. CGSB Listing Number 2. CGSB Certification Mark 3. Program Participant Address 4. Storage Instructions (as per | S-2 | 4.0 | \$ | 6 | | 6 | | 9 | | 12 | | 12 | \$ |

¹Note: Pricing for this test is based on the testing of 6 specimens (6 specimens = 1 unit).

²Note: Pricing for this test is based on the testing of 50 specimens (50 specimens = 1 unit).

³Note: Pricing for this test is based on the testing of 6 specimens (6 specimens = 1 unit).

TOTAL ESTIMATED COST: \$ _____
(Applicable taxes extra)