

NEW ROOM LIST	
ROOM #	NAMES
3388	ENTRY/WAITNG AREA
3390	OFFICE
3391	OPEN OFFICE
3392	FLEX WORKSTATION
3393	REFRESH CENTRE
3394	COLLAB. AREA
3395	PUBLIC CORRIDOR
3398	SMALL MEETING

3rd FLOOR DEMOLITION FLOOR PLAN – PLUMBING

SCALE : 1:100

0m 1m 2m 3m 4m 5m 6m 7m 8m 9m 10m

1
M-2

SYMBOL LEGEND – DEMOLITION

- DCW ——— EXISTING DOMESTIC COLD WATER PIPING TO REMAIN
- DCW ——— EXISTING DOMESTIC COLD WATER TO BE REMOVED
- DHW ——— EXISTING DOMESTIC HOT WATER PIPING TO REMAIN
- DHW ——— EXISTING DOMESTIC HOT WATER PIPING TO BE REMOVED
- SAN ——— EXISTING SANITARY TO REMAIN
- SAN ——— EXISTING SANITARY TO BE REMOVED
- V ——— EXISTING VENT PIPING TO REMAIN
- V ——— EXISTING VENT PIPING TO BE REMOVED
- CD ——— EXISTING CONDENSATE DRAIN PIPING TO REMAIN
- CD ——— EXISTING CONDENSATE DRAIN PIPING TO BE REMOVED
- ||— EXISTING PIPING CUT AND SECTION REMOVED TO THIS POINT
- ||— EXISTING CAPPED AND SECTION REMOVED
- HP XXX EXISTING HEAT PUMP TO REMAIN
- HP XY RE EXISTING HEAT PUMP TO BE REMOVED AND RELOCATED – REFER TO MODIFICATION DWG.

DRAWING REFERENCE NOTES – DEMOLITION

- 1 – REMOVE EXISTING STAINLESS STEEL SINK, FAUCET, ACCESSORIES, AND PIPING TO POINT OF NEW CONNECTION.
- 2 – CUT SECTION OF EXISTING CONDENSATE PIPING TO THIS POINT. REMOVE AND RE-USE EXISTING PIPING AND FITTINGS AS REQUIRED. REFER TO MODIFICATION DWG. FOR LOCATION.
- 3 – CAP SECTION OF EXISTING PIPING AT THIS POINT. REMOVE AND RE-USE EXISTING PIPING AND FITTINGS AS REQUIRED. REFER TO MODIFICATION DWG. FOR LOCATION.
- 4 – LOCATION OF FUTURE TENANT WALL REFER TO ARCHITECTURAL DWG. FOR HEIGHT AND CONSTRUCTION TYPE.
- 5 – EXISTING DOMESTIC HOT WATER TANK. REFER TO MODIFICATION DRAWING AND DETAIL.

SYMBOL LEGEND & NOTES – DEMOLITION

SCALE : N.T.S.

3
M-2

3RD FLOOR MODICATION FLOOR PLAN – PLUMBING

SCALE : 1:100

0m 1m 2m 3m 4m 5m 6m 7m 8m 9m 10m

2
M-2

SYMBOL LEGEND – MODIFICATION

- DCW ——— EXISTING DOMESTIC COLD WATER PIPING TO REMAIN
- DCW ——— NEW DOMESTIC COLD WATER
- DHW ——— EXISTING DOMESTIC HOT WATER PIPING TO REMAIN
- DHW ——— NEW DOMESTIC HOT WATER PIPING
- DHWR ——— NEW DOMESTIC HOT WATER RECIRCULATION PIPING
- SAN ——— EXISTING SANITARY TO REMAIN
- SAN ——— NEW SANITARY PIPING
- V ——— EXISTING VENT PIPING TO REMAIN
- V ——— NEW VENT PIPING
- CD ——— EXISTING CONDENSATE DRAIN PIPING TO REMAIN
- CD ——— NEW CONDENSATE DRAIN PIPING
- ||— EXISTING PIPING CUT AND NEW SECTION TO THIS POINT
- ||— NEW ISOLATION VALVE
- ||— NEW CHECK VALVE
- ||— NEW MIXING VALVE
- ||— EXISTING CAP
- HP XXX EXISTING HEAT PUMP TO REMAIN
- N HP XY NEW HEAT PUMP REFER SCHEDULE. DESIGNATION OF NEW HEAT PUMP TO BE COORDINATED WITH EXISTING BUILDING HEAT PUMP NUMBERING.
- R HP XXX EXISTING HEAT PUMP TO BE RELOCATED. REFER TO HVAC DRAWING


DRAWING REFERENCE NOTES – MODIFICATIONS

- 1 – CONNECT NEW CONDENSATE PIPING TO EXISTING AT THIS POINT. EXTEND NEW PIPING TO RELOCATED AND NEW HEAT PUMP
- 2 – CONNECT NEW CONDENSATE PIPING TO MAIN DISTRIBUTION LINE. RUN PIPING TO RELOCATED HEAT PUMP.
- 3 – INSTALL NEW STAINLESS STEEL SINK c/w NEW DCW, DHW, SANITARY AND VENT LINES.
- 4 – INSTALL NEW MIXING BLEND VALVE AT SINK. REFER TO DETAIL 7/M-7.
- 5 – CONNECT NEW DHW PIPING TO EXISTING AT THIS POINT
- 6 – CONNECT NEW DCW PIPING TO EXISTING AT THIS POINT
- 7 – CONNECT NEW VENT LINE TO EXISTING AT THIS POINT
- 8 – CONNECT NEW SANITARY LINE TO EXISTING AT THIS POINT
- 9 – EXISTING 100mm BASE BUILDING SANITARY RISER UP & DN
- 10 – EXISTING 75mm BASE BUILDING VENT RISER UP & DN
- 11 – EXISTING NPS 2 BASE BUILDING DOMESTIC COLD WATER (DCW) RISER UP & DN

SYMBOL LEGEND & NOTES – MODIFICATION

SCALE : N.T.S.

4
M-2



0	ISSUED FOR TENDER	JUL 23 2021
revisions		date
project	PARKS CANADA 3rd FLOOR FIT-UP 1045 MAIN STREET MONCTON, NB	
project		

3rd FLOOR DEMOLITION & MODIFICATION FLOOR PLAN – PLUMBING

designed R.M.	conçu
date JULY, 2021	
drawn N.B.	dessiné
date JULY, 2021	
approved R.M.	approuvé
date JULY, 2021	
Tender	Soumission
PWGS Project Manager	Administrateur de projets TPSGC
project number	no. du projet
R.074120.001	
drawing no.	no. du dessin
M-2	